SHELL

SHELL Manual from Oasys Ltd



Version 17.0

For help and support from Oasys Ltd please contact:

UK

The Arup Campus Blythe Valley Park Solihull United Kingdom B90 8AE Tel: +44 121 213 3399 Email: dyna.support@arup.com

China

Arup China 39/F-41/F Huaihai Plaza 1045 Huaihai Road (M) Xuhui District, Shanghai China 200031 Tel: +86 21 3118 8875 Email: china.support@arup.com

India

Arup India Pvt Ltd 10th floor, Western Dallas Center Plot no. 83/1, Knowledge City Rai Durg Hyderabad 500032 Telangana, India Tel: +91 40 69019797 / 98 Email: india.support@arup.com

USA West

Oasys Ltd c/o 560 Mission Street Suite 700 San Francisco United States CA 94105 Tel: +1 415 940 0959 Email: us.support@arup.com


Web:www.arup.com/dyna

or contact your local Oasys Ltd distributor.

1 LS-DYNA Environment	1.1
1.1 Introduction	1.1
1.2 LS-DYNA	1.1
1.3 PRIMER	1.15
1.4 D3PLOT	1.18
1.5 T/HIS	1.21
1.6 REPORTER	1.24
1.7 Utilities	1.30
1.8 Preferences	1.30
1.9 Manuals	1.30
1.10 Status	1.30
1.11 Support	1.31
1.12 Themes	1.31
1.13 Command Line Options	1.31
1.14 Command Line Submission Shell	1.32
2 Customising the Shell	2.1
2.1 LINUX Installation	2.1
2.2 Windows Installation	2.4
2.3 Customising the GUI Shell	2.8
2.4 Adding LS-DYNA versions to the Shell	2.18
2.5 Customising the LS-DYNA submission script	2.19
2.6 Creating an "oasys_queue" file	2.32
2.7 Adding items to the "Utilities" menu	2.32
3 Additional Windows Setup	3.1
3.1 Setting File Associations	3.1
4 Preferences	4.1
4.1 The oa_pref file	4.1
4.2 The preferences editor	4.2
Installation organisation	A.1
Version17.0 Installation structure	A.1
Licences used in software	B.1
Apple Public Source	B.1
Expat	B.1
FreeType	B.1
FFmpeg	B.3
Jpeg	B.3
Libcurl	B.4
Libfame	B.4
Libgif	B.4 B.4
	B.5
Libpng	
Libxlsxwriter	B.6
Openssl	B.7
PČRE	B.9
PDFHummus	B.9
POV-Ray	B.10
SmoothSort	B.10
Spidermonkey	B.10
Treeview	B.14
Win-iconv	B.15
Zlib	B.15
Fonts on Linux	C.1
The range of fonts available	C.1
Plain versus Anti-aliased fonts	C.1
Loading legacy Core X11 fonts	C.2
Themes for the Graphical User Interface	D.1
Setting the theme	D.1 D.1
Sound the memo	D.1

1 LS-DYNA Environment

1.1 Introduction




1.1.1 LINUX

On LINUX the LS-DYNA Environment software is accessed by typing the command: oasys_17

1.1.2 Windows

On Windows the software is accessed via the Start Menu, All Programs ->Oasys Ltd LS-DYNA Environment 17.0



1.2 LS-DYNA

The LS-DYNA button accesses the submission menu for LS-DYNA.

The first time this button is pressed the 'oa_pref' file will be read and any default values set (see <u>section 4</u> for more details on the 'oa_pref' file). After the file has been read following menu will be displayed.

-	LS-DYNA SUBMISSION	
LS-DYNA		
 Single Precision Double Precision 	O SMP Version: Win64 SP LS971vR6.1 (PLATFORM MPI) ● MPP ● Hybrid MPI Type: PMPI Add Version	
LS-DYNA Exe : P:\Dyn	na_executables\WIN64\LS971\R6_1\mpp971_s_R6.0.0_winx64_hpm	
Job Options		
Input File :		
File Format :	Keyword V Select Files Sequential Submission	
CPU LIMIT :	0 Seconds V	
MEMORY LIMIT :	10 MegaWords ▼	
MEMORY2 (MPP) :	10 Increase Memory If Required	
Output Files :	ARUP '.ptf' ▼ Optional Files	
Parallel Options		
Number of CPU's :	2 Consistency Flag : ON O OFF	
Use Local Host		
O Use Node File :	.\hostfile	
O Use Node List :		
Submission Options		
Online	Analysis Start Time : 00 : 00 Start Day Now 🔻	
O Delayed	Queue CPU LIMIT : 0 Seconds V	
O Batch	Queue MEMORY LIMIT : 9000000 MegaWords V	
O Queue	Queue Name : CPU Limit : 0	
Queue Options:		
Restart Options		
Select Restart Time	Restart Number : Restart Time : Input Deck	
Post Processing Opti	ons	
Run T/HIS after ana	lysis Options DISPLAY : CCDTCZC7239NJW:0.0	
Run REPORTER afte	er analysis Options	
Run D3PLOT after a	analysis Options	
Submit	Reset Status/Kill Cancel	

1.2.1 LS-DYNA version options

Single Precision	SMP	Version:	Win64 R10.2 SMP SP
O Double Precision	O MPP		Win64 R10.2 SMP SP
	O Hybrid		Win64 R11.1 SMP SP
S-DYNA Exe : Executat	les\P10 2\ls_dv	na smp s R	Local LS-DYNA Executable

p> The submission shell can be used to access more than one version of LS-DYNA. Clicking on the tab labeled LS-DYNA version will bring up this drop down menu listing the versions of LS-DYNA present in the dyna_versions file.

Alternatively, the version of LS-DYNA can be specified using the tabs to the left of this drop down menu.

These tabs can be used to select the desired Precision and code-type for the analysis. Clicking on the tabs will cause the default LS-DYNA version corresponding to the options specified to be selected.

The options available are described below:

Precision: Single Precision (point) Double Precision point)	Č,	Code Type: SMP (Shared memory parallel) MPP (Distributed memory parallel) Hybrid
Single Precision Double Precision	SMP MPP	Version: Local LS-DYNA Executable V MPI Type: PMPI Add Version
LS-DYNA Exe : C:\Use	Hybrid	cutables\R10.2\ls-dyna_mpp.exe

Instead of selecting an executable from the list in the 'dyna_versions' file an executable can be explicitly specified by selecting the 'Local LS-DYNA Executable' option.

To browse for the executable select the folder icon.

The Precision and code-type (SMP, MPP or Hybrid) also need to be set to the correct values as it's not possible for the SHELL to know these from just the executable name. If the code-type is MPP then you also need to set the MPI Type.

If you have the appropriate file permissions you can append the executable to the 'dyna_versions' file by pressing the 'Add Version' button.

1.2.2 Job options

1.2.2.1 Input File

Enter the name of the analysis file into the box provided. Jobs may be specified in any directory by entering either the full pathname of the input file or the pathname relative to the current directory. If the input file format is set to Keyword it will be assumed that the filename ends in '.key', otherwise it will be assumed that the filename ends in '.inf'. To search for the file, click on the icon to the left of the Jobname box. This will bring up a standard file selector box shown below.

Open					>
• • •	> Demo		ٽ ~	Search Demo	م
Organize 🔻	New folder				· 🔟 🕜
Name		Date modified	Туре	Size	
😭 crush_tube_st	art.key	19/02/2020 17:22	LS-DYNA Keyword	I File 716 KB	
	File name	crush_tube_start.k	cey ~	LS-DYNA keyword (*	.k*;*.dyn;*. ~
				Open	Cancel

The default search pattern will be set to '*.key' if the input file format is set to Keyword, '*.inf' if it is set to Fixed and '*.lst' if it is set to List.

1.2.2.2 Input file format

The input file format may be altered between Keyword and Fixed and List.

If the List option is chosen a file containing a list of LS-DYNA models can be selected for submitting to LS-DYNA. The List file can contain either just a list of LS-DYNA models or it can also contain additional information for running REPORTER automatically after the analysis terminates. (see <u>section 1.6.3</u> for details on the List file format).

Job Options		
Input File :		
File Format :	Keyword 🔻	Select Files Sequential Submission
CPU LIMIT :	Keyword	Seconds V
MEMORY LIMIT :	Fixed List	MegaWords ▼
MEMORY2 (MPP) :	10	Increase Memory If Required
Output Files :	ARUP '.ptf' ▼	Optional Files

All of the jobs can be submitted either sequentially or simultaneously.

1.2.2.3 Select Files To Run

If the input file format is set to <u>List</u> then a subset of the models listed in the file can be selected to be run when the List file is submitted.

	SELECT JOBS TO RUN	
~	LS-DYNA Input File	
1	AIRBAGS\MODEL\two_bags_different_ids.key	
	BOUNDARIES_ETC\MODEL\combi18_erode.key	
	MOST_GENERIC_ENTITIES\MODEL\veh_21_Modified.key	
	PULLEY\MODEL\pulley.key	
	SPC_AND_SPOTWELD\MODEL\SpotWelds2018_qa.key	
	SPH\MODEL\hvi.k	
Ŧ		
T	Close	

1.2.2.4 Sequential Job Submission

If a list of LS-DYNA jobs is submitted using the <u>List</u> option then they can either be submitted sequentially one after the other or they can all be submitted simultaneously.

Job Options		
Input File : C:\User	s\Desktop\Demo\models.lst	
File Format :	List v	Select Files Sequential Submission
CPU LIMIT :	0	Seconds V
MEMORY LIMIT :	10	MegaWords V
MEMORY2 (MPP) :	10	Increase Memory If Required
Output Files :	ARUP '.ptf' ▼	Optional Files

1.2.2.5 CPU limit

The Analysis CPU Limit can be entered directly in the space provided. The units used to define the CPU limit can be switched between Seconds, Minutes and Hours by using the toggle available. The value entered is the actual amount of CPU time that LS-DYNA will use for the analysis. When this limit is reached LS-DYNA will terminate the job. A value of "0" means that no limit has been set and the job will run to termination.

1.2.2.6 MEMORY limit

The Analysis Memory Limit can be entered directly in the space provided. The units used to define the Memory Limit can be switched between Words and Megawords and Automatic using the available toggle. The value entered is the size of the main array declared internally within LS-DYNA that is used to store data in.

A value of "0" means that the analysis will use the default value built into LS-DYNA. If a value is specified on the *KEYWORD card in a input deck then that value will override all other memory definitions.

1.2.2.7 MEMORY2 (MPP/HYBRID only)

This option is only available for the MPP/HYBRID version of LS-DYNA. With the MPP/HYBRID versions of LS-DYNA more memory is required for the first CPU that initialises the model than for the other processors. Generally if the first CPU requires X words of memory to initialise the job then the amount of memory required for each additional processor is X/n where n is the total number of CPU's.

1.2.2.8 Automatically Increase Memory If Required

If this option is selected then LS-DYNA will automatically increase the amount of memory it uses if the amount specified by <u>MEMORY LIMIT</u> is insufficient.

1.2.2.9 Optional Files

Clicking on the OPTIONS tab will display this menu of input and output options that can be used with LS-DYNA.

For more details on these options see the LS-DYNA User's manual.

- ADDITIONAL	FILES X
Input Files Input Files Stress Initialization (.sif) Interface Segment (.isf2) VDA Geometry (.vda) CAL3D Input (.c3d) TOPAZ3D Temperature file (.htf) MADYMO Input File REMAP option MPP pfile GMINP (.gm)	Input Options ENDTIM : 0.000000 ENDCYC : 0 PARA : 0 CASE MCHECK PGPKEY INIT D3PROP LONG BIGID JOBID Output Files Output Files Output Files Contact Force File (.ctf) Interface Segment (.isf1) Static Database File (.ztf) Vinfrith Crack file (.crf) FSIFOR file (.fff) GMOUT (.gm) CPM Interface Force (.dem) FSILNK file (.fsl) PBM Interface Force (.pbm) D3PART file (.d3part) BEM file (.bem) General Print file (.root)
Module DLL	
map =	
map1 =	
Binary File Size 1024 (max 8	3192)
CLOSE	

1.2.2.10 Output Files

This option controls the names of the output files generated by LS-DYNA, either ARUP or LSTC can be selected. With LS-DYNA 970 onwards the names of the output files can also be specified using the *KEYWORD_ID option where a filename prefix for all of the output files is specified within the input file. If a filename prefix is specified in the input file then this option will be replaced with the prefix specified in the file.

Output File	ARUP	LSTC	*KEYWORD_ID
Binary Complete State Database	'jobname'.ptf	D3PLOT	'prefix'.D3PLOT
Time History Database	'jobname'.thf	d3thdt	'prefix'.d3thdt
Extra Time History Database	'jobname'.xtf	xtfile	'prefix'.xtfile
Binary Output File	binout	binout	'prefix'.binout
Restart Dump File	'jobname'.dpf	d3dump	'prefix'.d3dump
PBM Interface Force	'jobname'.pbm	pbmfor	'prefix'.pbmfor
D3PART File	'jobname'.d3part	d3part	'prefix'.d3part
Running Restart Dump File	'jobname'.adf	runrsf	'prefix'.runrsf

1.2.3 Parallel options

Parallel Options	
Number of CPU's :	2 Consistency Flag : ON OFF
Use Local Host	
O Use Node File :	Nostfile
O Use Node List :	

1.2.3.1 Number of cpus

This option will only be accessible if your system supports parallel versions of LS-DYNA. The required number of processors to run the job on can be selected using the arrow buttons. The maximum number of processors that can be selected is controlled through the 'oa_pref' file (see section 2.3)

The value selected will override the number of processors selected on the *CONTROL_PARALLEL card in the input deck.

1.2.3.2 Consistency Flag

This option controls whether parallel analyses are run with the accuracy option in LS-DYNA turned ON or OFF. The default is to turn the accuracy option ON which results in nearly identical results across different numbers of CPU's but a lower overall speedup in the job time.

The value selected will override that selected on the *CONTROL_PARALLEL card.

1.2.3.3 Local Host

This option will only be available when submitting MPP jobs using either the Online, Background or Batch options.

When selected the MPP jobs will be submitted using only the machine that the shell is being run on.

1.2.3.4 Node File

This option will only be available when submitting MPP jobs using either the Online, Background or Batch options.

This option can be used to select a file containing a list of Nodes and CPUS to use when submitting an MPP job. The format of the file will depend on the MPI library that the version of LS-DYNA has been built with.

MPICH2	cluster1:2 cluster2:2 cluster3 cluster4		
	Submit a job using 4 hosts, use 2 CPU's on "cluster1" and "cluster2" and 1 CPU on "cluster3" and "cluster4"		
HP MPI / PLATFORM MPI	cluster1:2 cluster2:2 cluster3 cluster4		
	Submit a job using 4 hosts, use 2 CPU's on "cluster1" and "cluster2" and 1 CPU on "cluster3" and "cluster4"		
INTEL MPI	cluster1:2 cluster2:2 cluster3 cluster4		
	Submit a job using 4 hosts, use 2 CPU's on "cluster1" and "cluster2" and 1 CPU on "cluster3" and "cluster4"		
OPEN MPI	cluster1 cluster1 cluster2 cluster2 cluster3 cluster4	or	cluster1 slots=2 cluster2 slots=2 cluster3 cluster4
	Submit a job using 4 hosts, use 2 CPU's on "cluster1" and "cluster2" and 1 CPU on "cluster3" and "cluster4"		

1.2.3.5 Node List

This option will only be available when submitting MPP jobs using either the Online, Background or Batch options.

This option can be used to specify a string containing the list of Nodes and CPUS to use when submitting an MPP job. The format of the sting will depend on the MPI library that the version of LS-DYNA has been built with.

MPICH2	<pre>#hosts host1 cpus(1) host2 cpus(2) hostn cpus(n)</pre>		
	4 cluster1 2 cluster2 2 cluster3 1 cluster4 1		
	Submit a job using 4 hosts, use 2 CPU's on "cluster1" and "cluster2" and 1 CPU on "cluster3" and "cluster4"		
HP MPI /	host1:cpus(1),host2:cpus(2),,hostn:cpus(n)		
PLATFORM MPI	cluster1:2,cluster2:2,cluster3,cluster4		
	Submit a job using 4 hosts, use 2 CPU's on "cluster1" and "cluster2" and 1 CPU on "cluster3" and "cluster4"		
INTEL MPI #hosts host1 cpus(1) host2 cpus(2) hostn cpus(n)			
4 cluster1 2 cluster2 2 cluster3 1 cluster4 1			
	Submit a job using 4 hosts, use 2 CPU's on "cluster1" and "cluster2" and 1 CPU on "cluster3" and "cluster4"		

OPEN MPI	<pre>#hosts host1 cpus(1) host2 cpus(2) hostn cpus(n)</pre>				
	cluster1,cluster1,cluster2,cluster2,cluster3,cluster4				
	Submit a job using 4 hosts, use 2 CPU's on "cluster1" and "cluster2" and 1 CPU on "cluster3" and "cluster4"				

1.2.4 Submission options

1.2.4.1 Submission method

Submission Option	s		
Online	Analysis Start Time :	00 : 00	Start Day Now 🔻
O Delayed	Queue CPU LIMIT :	0	Seconds 🔻
Batch	Queue MEMORY LIMIT :	9000000	MegaWords 🔻
Queue	Queue Name :		CPU Limit : 0
Queue Options:	an ann		
Submission Options	3		
O Online	Analysis Start Time :	00 : 00	Start Day Now 🔻
Delayed	Queue CPU LIMIT :	0	Seconds 🔻
O Batch	Queue MEMORY LIMIT :	9000000	MegaWords 🔻
Queue	Queue Name :	dyna	CPU Limit : NONE
Queue Options:	20	PU x 1 Node	Ŧ
Submission Options	s		
O Online	Analysis Start Time :	00 : 00	Start Day Now 🔻
O Delayed	Queue CPU LIMIT :	0	Seconds 🔻
O Batch	Queue MEMORY LIMIT :	9000000	MegaWords 🔻
Queue	Queue Name :	dyna	CPU Limit : NONE
Queue Options:	20	PU x 1 Node	•

Jobs may be submitted using 4 different submission methods. If some of the options are not available on your system then the option will be greyed out in the submission menu and will be unselectable. The parameters that can be specified under each option are different and those available under the Queue option will vary from system to system.

The four different submission options are :

Online	Submit jobs in	teractively using	an Xterm session.	. Delayed start times	s cannot be specified
--------	----------------	-------------------	-------------------	-----------------------	-----------------------

Background Submit jobs in background. If a delayed start times is specified then the job will be submitted using the LINUX 'at' command.

Batch Submit jobs into a batch queue using the LINUX 'batch' command. Delayed start times cannot be specified.

Queue Submit jobs to NQE batch queues using 'qsub' or equivalent commands. Delayed start times, Queue CPU/Memory Limits may be specified.

1.2.4.2 Analysis Start Time

If a job is submitted using either the Background or Queue options it is possible to specify a time at which the job will execute. The required time should be entered in the form HH:MM using a 24 hour clock. If no time is specified then the job will executed as soon as possible. If the time specified has already been passed then the job will start immediately.

(This option will not be available if the Queue option is submitting the job to a SGE queuing system.

1.2.4.3 Analysis Start Day

If a job is submitted using either the Background or Queue options it is possible to specify a day on which the job will execute. Use the toggle to specify the day on which the job will be executed. If a day is specified and no analysis start time has been set, the job will be submitted with a start time of 00:01 on the required day.

(This option will not be available if the Queue option is submitting the job to a LSF or SGE queuing system).

1.2.4.4 Queue CPU Limit

This option will only be accessible when jobs are being submitted using the Queue option. If your system does not require CPU Limits to be specified for NQS style queues then your system manager will have disabled this option. The Queue CPU Limit can be entered directly into the space provided. The units used to define the CPU Limit can be switched between Seconds, Minutes and Hours using the toggle available. The value entered is the total Queue CPU Limit that include the time taken to run the LS-DYNA analysis and any system time required. The value entered should be larger than the Analysis CPU Limit so that when the analysis finishes there is enough time to write LS-DYNA restart and result files. If the extra time specified is unlikely to be sufficient a warning message will be generated when the job is actually submitted to the Queue.

A value of "0" means that the analysis will be submitted with an unlimited Queue CPU Limit.

1.2.4.5 Queue Memory Limit

This option will only be accessible when jobs are being submitted using the Queue option. If your system does not require Memory Limits to be specified for NQS style queues then your system manager will have disabled this option. The Queue Memory Limit can be entered directly into the space provided. The units used to define the Memory Limit can be switched between Words and Megawords using the toggle available. The value entered defines the total amount of memory that the job will request from the system. In order to allow LS-DYNA to initialise this value should be set to a minimum of 5000000 words larger than the Analysis Memory Limit, (see section 2.3.1). If a smaller value is specified a warning message will be generated when the job is actually submitted to the Queue.

A value of "0" means that the analysis will we submitted with an unlimited Limit.

1.2.4.6 Queue Name

This option will only be accessible when jobs are being submitted using the Queue option. If the system has more than one NQS style queue then the required queue may be selected from a pull-down menu activated by the right hand mouse button. When a queue is selected the CPU limit for that queue will be displayed alongside the queue name. If the queue is a pipe queue the word PIPE will be displayed, if the queue has no CPU limit then the word NONE will be displayed. The default queue will be the first one listed in the 'oasys_queue' file.

1.2.4.7 Queue Options

This option will only be accessible when jobs are being submitted using the Queue option. It is intended to be used so that user defined queue directives can be specified rather than using the ones produced by the shell (see Section 2.3.33)

The options available will depend on the queue and number of cpus chosen and the contents of the 'oasys_queue' file. Selecting an option will put the additional queue directives defined in this file into the submission script. If there are no options available for the selected number of cpus then the options for the next number of cpus up will be displayed, e.g. if the number of cpus chosen is 3, but no options are defined for 3 cpus, then if there are options defined for 4 cpus then the options for 4 cpus will be shown. If there are no options available then the default directives produced by the shell will be used.

1.2.5 Restarts

1.2.5.1 Select Restart Time

This option will only be available if the analysis is not a coupled LS-DYNA/ MADYMO3D analysis. When this button is selected all input to the Shell will be frozen while a search is carried out for any restart input files that exist for the specified job. When the search has been completed the window shown below with all of the available restart times will be displayed and the required time may be selected.

Restart Options Select Restart Time	Restart Number :	Resta	irt Time :	Input Deck
	RE	START		□×
Dump	Analysis	Created	Time	Date
Number	Time	Ву	Written	Written
runrsf	3.369282e+000	Original Run	16:09:38	20/02/2020
d3dump01	8.474488e-001	Original Run	16:09:27	20/02/2020
d3dump02	1.696360e+000	Original Run	16:09:31	20/02/2020
d3dump03	2.542231e+000	Original Run	16:09:35	20/02/2020
d3dump04	3.369282e+000	Original Run	16:09:38	20/02/2020
 d3dump05 □ □ □ □ □ □ □ 	4.000264e+000	Original Run	16:09:41	20/02/2020
		ОК		

Select the desired restart file and press the OK button to return to the main submission window where the screen will be updated to reflect the details of the restart file selected. A check will also be carried out to see if a restart input deck exists and if one is found the user will be offered the opportunity to use it.

If, after a restart file has been selected, the user decides that he does not want to use it, the restart file selection menu should be re-displayed and the previously selected file should be deselected.

1.2.6 Post Processing Options

Post Processing Options			
Run T/HIS after analysis	Options	DISPLAY :	CCDTCZC7239NJW:0.0
Run REPORTER after analysis	Options		
Run D3PLOT after analysis	Options		

1.2.6.1 Run T/HIS after Analysis

Setting this option to ON will cause a fasttcf .inp script present in the job directory (the directory containing the analysis file) to be executed following termination of the job. Fast-tcf provides a fast, automated method of post-processing output data from LS-DYNA by producing a set of command files for T/HIS from an ASCII input file. This option will only be available if there is a jobname.inp file. Selecting OFF will disable this automatic post-processing

The Options button can be used to specify options which will affect how T/HIS operates when it is executed. This will open up the $\underline{T/HIS}$ options window, which will allow T/HIS command line options to be explicitly defined.

1.2.6.2 Run REPORTER after Analysis

Setting this option to ON will cause REPORTER to automatically run following termination of the analysis. Selecting OFF will disable this automatic post-processing. The Options button can be used to set up input options for REPORTER when it runs, see <u>section 1.6.1</u> for more details on these options.


1.2.6.3 Run D3PLOT after Analysis

Setting this option to ON will cause D3PLOT to automatically run following termination of the analysis. Selecting OFF will disable this automatic post-processing. The Options button can be used to set up input options for D3PLOT when it runs, see section 1.4.1 for more details on these options.

1.2.6.4 Display

If you are running T/HIS, REPORTER or D3PLOT automatically at the end of an analysis then this option can be used to select the machine on which T/HIS, REPORTER or D3PLOT should be displayed when it runs. By default this will be set to the machine you submitted the job from and will not normally need to be changed.

1.2.7 Submit



Click on this button to submit the LS-DYNA job using all of the options previously set. Before the job is actually submitted the following checks will be carried out:

- The input file specified exits.
- The Queue CPU Limit, if specified, is larger than the Analysis CPU Limit.
- The Queue Memory Limit, if specified, is at least 6000000 words larger than the Analysis Memory Limit.
- An Account name, if required, has been specified.

1.2.8 Reset

Click on this button to reset all of the submission options to their default values.

1.2.9 Status Kill

This option can be used to either terminate an LS-DYNA analysis that is already running or to force the analysis to perform a range of tasks. Clicking on this button will bring up the menu shown below, displaying the possible options.

-	KILL OPTIONS				
	SW1 : Write a Restart File and Terminate				
	SW2 : Report Time and Cycle Number				
	SW3 : Write a Restart File and Continue				
	SW4 : Write a Plot State and Continue				
	SW5 : Interactive graphics and real time visualization				
	SW7 : Turn off real time visualization				
	SW8 : Interactive 2D rezoner for solid elements and real time visualization.				
	SW9 : Turn off real time visualization (for option SW8)				
	FILE : Send Ouput from SW2 to a File				
	SWA : Flush ASCII file buffers				
	SWB : Write a DYNAIN File and Continue				
SWC : Write a DYNAIN and a Restart File and Continue					
	SWD : Write a DYNAIN and a Restart File and Terminate				
	CONV : Temporarily override nonlinear convergence tolerances				
	ITER : Enable/Disable output of binary plot database "d3iter" after each equilibrium iteration				
	LPRINT : Enable/Disable output of equation solver memory, cpu requirements				
NLPRINT : Enable/Disable output of nonlinear equilibrium iteration information					
PROF : Output current timing information to messag (SMP) or prof.out (MPP).					
	STOP : Halt execution immediately, closing open files				
	APPLY CANCEL				

1.2.10 Cancel

Click on this button to close the submission menu and return to the main shell window without submitting an LS-DYNA job.

LS-DYNA ENVIRONMENT Visualise Prepare Analyse Report ٠ . Process • PRIMER LS-DYNA® D3PLOT T/HIS REPORTER Options.. Options... Options... Batch

Select this option to access the PRIMER program. This program is a graphical model editor that will position occupant models, fold airbags and allow model parameters to be modified.

1.3.1 PRIMER Options

Press "Options" button below the PRIMER button to show the menu below.

This menu allows the user to specify an input keyword file and a PRIMER command file which will automatically run when opens.

It also allows the user to pre-select other options such as graphics options. Select/ deselect the options by clicking on the respective tag.


Click on the file divider icon in order to search for the respective files.

—	PRIMER OPTIONS				
	nput Options				
	Input File :				
	PRIMER Command File :				
	Macro :				
	Macro variables :				
	Generate ZTF File :				
	Select preference file :				
	Start in :				
	Javascript :				
	Javascript arguments :				
	Command line :				
	Pre-Commands :				
	Post-Commands :				
	DISPLAY :				
0	ther Options				
	Automatically EXIT after running command file				
	Run PRIMER in 'batch' mode				
	Use OpenGL				
	Use X (24bit)				
	Use X (8bit)				
	Use Full Screen				
	set MENU_AUTO_CONFIRM = TRUE				
\checkmark	Start using xterm				
	Checkpoint Dir. :				
	Show Checkpoint files				
	Run Close				
	Close				

ſ

Input Options	
Input File	Specify the name of the keyword file you wish to be read into PRIMER
PRIMER Command File	Specify the name of a command file you wish to be executed on opening PRIMER
Macro	Specify the name of a macro file you wish to be executed on opening PRIMER
Macro variables	Specify the name of a macro variables file you wish to be used with the macro specified above
Generate ZTF File	Generate a ZTF file containing extra data for D3PLOT and T/HIS
Select preference file	Specify an oa_pref file to read from
Start in	Specify the directory where PRIMER will be fired up and where output files will be written to.
Javascript	Specify a javascript file which can be executed on opening PRIMER
Javascript arguments	Specify arguments which can be passed on to the javascript
Command line	Specify additional command line arguments which are appended to the PRIMER execution
Pre-Commands	Specify additional commands which are inserted before calling the PRIMER executable (Linux only)
Post-Commands	Specify additonal commands post PRIMER executable commands (Linux only)
DISPLAY	Specify the DISPLAY environment variable (Linux only)
Other Options	
Automatically EXIT	Causes PRIMER to close once the specified command file has finished running
Run PRIMER in 'batch' mode	Starts PRIMER in batch mode; a non-graphical mode, which accepts commands from a file specified in the Input options
Use OpenGL	Starts PRIMER using OpenGL graphics mode
Use X (24 bit)	Starts PRIMER using 24bit X Windows graphics mode
Use X (8 bit)	Starts PRIMER using 24bit X Windows graphics mode
Use Full Screen	Opens the PRIMER window to fill the whole screen
Set MENU_AUTO_CONFIRM	This variable is often used when replaying command files which, when recorded, paused and asked the user to confirm things. (For example HELP and Warning messages.) If this option is selected PRIMER will continue automatically using the default option.
Start using xterm	If multiple instances of PRIMER are opened from the Shell on Linux systems, LMX could count each of these as using a license. This is because if PRIMER is loaded from an xterm console, each instance is counted as using a license. This switch can be used to stop this behaviour.
Checkpoint Dir	The path to write checkpoint files to.
Show checkpoint files	Switch this on to the show the checkpoint files menu when PRIMER is started.

1.4 D3PLOT



Select this option to access D3PLOT. This program is a graphical post-processor designed to access the binary output files created by LS-DYNA. For more details see the D3PLOT Manual.

1.4.1 D3PLOT Options

Press "Options" button below the D3PLOT button to show the menu below.

This menu offers the user the opportunity to specify a .ptf file that will be automatically read into D3PLOT on opening, a D3PLOT command file that will automatically be executed by D3PLOT on opening as well as other options.

Select/ deselect the options by clicking on the respective tag.

Click on the file divider icon in order to search for the respective files


-	D3PLOT OPTIONS	
— In	put Options	
	Input File :	
	D3PLOT Command File :	
	Start in :	
	PTFCUT 'simple':	
	Command-line options	7
	File:	
	PTFCUT 'advanced':	
	File:	
	Model Database File :	
	Template File :	
	ZTF File :	
	Properties File :	
	Settings File :	
	Groups File :	
	Model List File :	
	Javascript :	
	Javascript Arguments :	
	Command line :	
	Pre-Commands :	
	Post-Commands :	
	DISPLAY :	
	the Opling	
	ther Options Automatically EXIT after running command file	
	Use OpenGL	
	Run D3Plot in 'tty' mode	
	Use Full Screen	
	set MENU_AUTO_CONFIRM = TRUE	
	Start using xterm	
	Checkpoint Dir. :	
	Show Checkpoint files	
	Run Close	

Input Options	
Input File	Specify the name of the .ptf file you wish to be read into D3PLOT
D3PLOT Command File	Specify the name of a D3PLOT command file you wish to be executed on opening D3PLOT
Start in	Specify the directory where D3PLOT will be fired up and where output files will be written to.
PTFCUT 'simple'	 Create one or more cutdown models using easily readable/editable options. Command-line options: Specify one or more supported options in the relevant textbox. File: Specify the name of a file containing supported options in the relevant textbox.
PTFCUT 'advanced'	Specify the name of a file to create a cutdown database using a file can be created in D3PLOT in the Utilities->Compress menu).
Model Database File	Specify the name of a model database file you wish to be read on opening D3PLOT
Template File	Specify the name of a template file you wish to be read on opening the model in D3PLOT
ZTF File	Specify the name of a ZTF file you wish to be read on opening the model in D3PLOT
Properties File	Specify the name of a properties file you wish to be read on opening the model in D3PLOT
Settings File	Specify the name of a settings file you wish to be read on opening the model in D3PLOT
Groups File	Specify the name of a groups file you wish to be read on opening the model in D3PLOT
Javascript	Specify a javascript file which can be executed on opening D3PLOT
Javascript arguments	Specify arguments which can be passed on to the javascript
Command line	Specify additional command line options which are appended to the D3PLOT execution
Pre-Commands	Specify additional commands which are inserted before calling the D3PLOT executable (Linux only)
Post-Commands	Specify additonal commands post D3PLOT executable commands (Linux only)
DISPLAY	Specify the DISPLAY environment variable (Linux only)
Other Options	
Automatically EXIT	Causes D3PLOT to close once the specified command file has finished running
Use OpenGL	Open D3PLOT using OpenGL graphics mode
Run D3PLOT in 'tty' mode	Opens up D3PLOT in batch mode; a non-graphical mode, which accepts commands from a file specified in the Input options
Use Full Screen	Opens the D3PLOT window to fill the whole screen
Set MENU_AUTO_CONFIRM	This variable is often used when replaying command files which, when recorded, paused and asked the user to confirm things. (For example HELP and Warning messages.) If this option is selected D3PLOT will continue automatically using the default option.
Start using xterm	If multiple instances of D3PLOT are opened from the Shell on Linux systems, LMX could count each of these as using a license. This is because if D3PLOT is loaded from an xterm console, each instance is counted as using a license. This switch can be used to stop this behaviour.
Checkpoint Dir	The path to write checkpoint files to.
Show checkpoint files	Switch this on to the show the checkpoint files menu when D3PLOT is started.

1.5 T/HIS

Left click on this option to access T/HIS. This program is a time history processing and graph plotting package designed to access the binary output files created by LS-DYNA. For more details see the T/HIS Manual.

LS-DYNA ENVIRONMENT



1.5.1 T/HIS Options

Press "Options" button below the T/HIS button to show the menu below.

This menu allows the user to specify a fasttcf .inp file or a T/HIS command file that will be automatically run when T/HIS is opened, along with other T/HIS options.

Select/ deselect the options by clicking on the respective tag.


Click on the file divider icon in order to search for the respective files.

—	т	/HIS OPTIONS	
_ In	put Options		
	Input File :		
	Model List File :		
	Curve File :		
	Curve List File :		
	FAST-TCF Input File :		
	T/HIS Command File :		
	Start in :		
	Model Database File :		
	Javascript :		
	Javascript arguments :		
	Command line :		
	Pre-Commands :		
	Post-Commands :		
	DISPLAY :		
0	ther Options		
	Automatically EXIT after	running command file	
	Run T/HIS in 'batch' mod	-	
\checkmark	Use Graphical Display		
	Use Text Display		
	Use Full Screen		
	set MENU_AUTO_CONF	IRM = TRUE	
	Start using xterm		
	Checkpoint Dir. :		
	Show Checkpoint files		
	Due	Olana	
	Run	Close	

Ē

Input Options						
Input File	Specify the name of the .thf file for the analysis whose data you wish to process					
Model List File	Specify the name of a file containing a list of models to be opened. Each model should be specifed on a seperate line in the file by giving the full pathname to one of the output files that T/HIS can read.					
Curve File	Specify the name of the T/HIS curve file to read					
Curve List File	Specify the name of a file containing a list of all the T/HIS curve files to be opened. Each curve file should be specifed on a seperate line in the file by giving the full pathname of the file.					
FAST-TCF Input file	Specify the name of a fast-tcf .inp file for post-processing desired data output					
T/HIS Command File	Specify the name of a T/HIS command file which collects and processes the desired data					
Start in	Specify the directory where T/HIS will be fired up and where output files will be written to.					
Model Database File	Specify the name of a model database file you wish to be read on opening T/HIS					
Javascript	Specify a javascript file which can be executed on opening T/HIS					
Javascript arguments	Specify arguments which can be passed on to the javascript					
Command line	Specify additional command line options which are appended to the T/HIS execution					
Pre-Commands	Specify additional commands which are inserted before calling the T/HIS executable (Linux only)					
Post-Commands	Specify additional commands post T/HIS executable commands (Linux only)					
DISPLAY	Specify the DISPLAY environment variable (Linux only)					
Other Options						
Automatically EXIT	Causes T/HIS to close once the specified command file has finished					
Run T/HIS in 'batch' mode	Opens up T/HIS in batch mode; a non-graphical mode, which accepts commands from a file specified in the Input options					
Use Graphical Display	Opens up T/HIS in graphical mode. OpenGL graphics will be used by default					
Use Text (TTY) Display	Opens up T/HIS in text only mode, which allows the user to specify commands in the terminal window					
Use Full Screen	Opens the T/HIS window to fill the whole screen					
Set MENU_AUTO_CONFIRM	This variable is often used when replaying command files which, when recorded, paused and asked the user to confirm things. (For example HELP and Warning messages.) If this option is selected T/HIS will continue automatically using the default option.					
Start using xterm	If multiple instances of T/HIS are opened from the Shell on Linux systems, LMX could count each of these as using a license. This is because if T/HIS is loaded from an xterm console, each instance is counted as using a license. This switch can be used to stop this behaviour.					
Checkpoint Dir	The path to write checkpoint files to.					
Show checkpoint files	Switch this on to the show the checkpoint files menu when T/HIS is started.					

1.6 REPORTER



Left click on this option to access REPORTER. This program is an automatic report generator for use with LS-DYNA, D3PLOT and T/HIS.

1.6.1 REPORTER Options

Press "Options" button below the REPORTER button to show the menu below. Selecting this option tab will cause the following window to appear.

-	REPORTER OPTIONS		□×
Input List : S_PREPOST\TEMPLATE\models.lst	Run Reporter	1	Clear Panel
Template	Output Dir	Root Output filename	
			Variables
bags_different_ids.key	AIRBAGS\MODEL	two_bags_different_ids	Variables
DELicombrid_erode.key	OUNDARIES_ETCMODEL	combi18_erode	Variables
EL\veh_21_Modified.key	ENERIC_ENTITIES\MODEL	veh_21_Modified	Variables
ULLEY\MODEL\pulley.key	PULLEYMODEL	pulley	Variables
SpotWelds2018_qa.key	AND_SPOTWELD\MODEL	SpotWelds2018_qa	Variables
SPHWODEL\hvi.k	SPH\MODEL	hvi	Variables
			Variables
Summary Output Options			
		summary	Variables
Output Formats : REPORTER HTML	PDF VBA Scr	ipt 🗹 PowerPoint	
Combined Output Options PDF	PowerPoint	HTML	
Skip generate			-
			-
Run Reporter iconised Run D3PLOT and T/HIS in batch	Write logfile		
Stop Reporter on error Automatically EXIT from Reporter			
Save List As : Save	Close		
Pre-Commands : Post-Comman	ds:	DISPLAY :	

This menu allows the user to define multiple sets of input options for REPORTER. These options can either be entered

manually of they can be read from a file, see section 1.6.3 for details on the LIST file format. In addition to being accessed from the REPORTER Options menu this panel can also be selected from the LS-DYNA Submit menu.

1.6.1.1 Input List

This option can be used to select a predefined <u>LIST</u> file containing multiple sets of inputs for REPORTER. This option can not be modified if this panel was accessed from the LS-DYNA Submit menu.

Note: An attempt is made to determine a sensible name for the summary output directory based on the inputs in this file. If a summary input file is given then the pathname to this is used. If not, then if all the individual input files have the same pathname then this is used.

1.6.1.2 Input Options

Input File	Name of the LS-DYNA input file for post processing. This option can not be modified if this panel was accessed from the LS-DYNA Submit menu.
Template	Defines a REPORTER template file for the job
Output Dir	By default the output directory for any files generated by REPORTER will be set to the directory containing the input file.
Root Output Filename	By default the root of the input filename we will used as the default filename for any output files generated by REPORTER, i.e rootname.pdf, rootname.html
Variables	This option can be used to setup variables for use within REPORTER, see section 1.6.2
Pre-Commands	Specify additional commands which are inserted before calling the REPORTER executable (Linux only)
Post-Commands	Specify additional commands post REPORTER executable commands (Linux only)
DISPLAY	Specify the DISPLAY environment variable (Linux only)

Each LS-DYNA job can have the following options set.

In addition to setting up options for individual LS-DYNA jobs this panel can also be used to generate a summary report. The options for the summary report are the same as for individual LS-DYNA jobs except that the Input file is optional.

If this panel was accessed from the REPORTER Options

1.6.1.3 Output Formats

REPORTER	Write a REPORTER report (orr) file after REPORTER has finished generating a report			
HTML	Write an HTML file after REPORTER has finished generating a report			
PDF	Write a PDF file after REPORTER has finished generating a report			
VBA Script	Causes REPORTER to write a visual basic macro (for PowerPoint) once it has finished generating a report			
PowerPoint	Causes REPORTER to write a Powerpoint file once it has finished generating a report			

1.6.1.4 Combined Output Options

The normal Output formats allow REPORTER to write a PDF, HTML, or PowerPoint file for each analysis. However if you are doing lots of analyses it might be useful to combine all of the output together into a single PDF file or single PowerPoint file. The **Combined Output Options** section allows you to do this.

Output Formats :	E	REPORTER	PDF	VBA Script	PowerPoint	
Combined Output		PDF	 PowerPoint		ITML	-
	Skip generate	e				

To do this REPORTER saves each analysis as a REPORTER report (orr) file after generating each file. Then it does an extra step, reading all of the report files and combining the outout. In the above example a combined PDF file is going to be created.

If the report files already exist and so the reports do not need to be generated you can use **Skip generate** and the shell will only do the combining step.

1.6.1.5 Run REPORTER

This option starts REPORTER once for each LS-DYNA job that has been defined and passes any input options that have been defined for that job to REPORTER. If a set of summary report options have been defined then an additional instance of REPORTER will be started to generate the summary report.

This option is not available if this panel was accessed from the LS-DYNA Submit menu as REPORTER will be started automatically after each LS-DYNA job has finished.

1.6.1.6 Clear Panel

This option can be used to quickly clear any options that have been set. This option is not available if this panel was accessed from the LS-DYNA Submit menu.

1.6.1.6 Save List As

This option can be used to save the currently defined set of REPORTER options to a new LIST file. By default this option will overwrite the <u>Input List</u>.

1.6.2 Variables

-		REP	ORTER VARIABLE	S	−□×
	Variable		Value		
1	ZONE		C6		
	XCOORD		450		
	YCOORD		150		
	ZCOORD		177.477		
÷.					
v	/ariable :				
v	/alue :				
	Add	Modify	Delete	Сору	Close

This windows allows the user to define variables for REPORTER. Specify the variable name and its corresponding value in the relevant boxes and press **ADD** to add them to the list of defined variables. The variables to be fed into REPORTER will appear in the greyed out boxes above. In order to delete one of the Variables in the list, enter the variable's name in the variable: box and press **DELETE**. In order to modify one of the variables, enter the variable's name into the Variable: box and press **Modify**. Once you have finished modifying all your variables, press **CLOSE**.

1.6.3 LIST File Format

The LIST file can be used to set up multiple inputs for REPORTER. The LIST file format consists of lines containing either Job information or Keywords.

Keyword	
\$VARIABLES	Defines a new list of comma seperated Variable names for any following Job Lines. Any Variables defined before this Keyword are deleted.
	\$VARIABLES, 1st Variable, 2nd Variable, 3rd Variable
\$VARIABLES_ADD	Adds new Variables to the existing list of Variables
	\$VARIABLES ADD, 1st Variable, 2nd Variable, 3rd Variable
\$REPORTER_SUMMARY	Defines a set of inputs used to generate a summary report after a set of jobs have been run in LS-DYNA.
	\$REPORTER_SUMMARY, Input file, REPORTER Template, 1st Variable, 2nd Variable, 3rd Variable
\$REPORTER_SUMMARY_DIR	Defines the directory used for summary output files
	SREPORTER SUMMARY DIR, Directory
\$REPORTER_OUTPUT	Defines a list of output formats, possible options are REPORTER, HTML, PDF, POSTSCRIPT, VBA, POWERPOINT
	\$REPORTER OUTPUT, format, format, format
\$REPORTER_ICONISE	Turns on/off the switch to iconise REPORTER when running
	\$REPORTER ICONISE, true or false
\$REPORTER_OA_BATCH	Turns on/off the switch to run D3PLOT and T/HIS in batch
	\$REPORTER OA BATCH,true or false
\$REPORTER_STOP_ON_ERROR	Turns on/off the switch to stop REPORTER if an error occurs
	\$REPORTER ON ERROR,true or false
\$REPORTER_EXIT	Turns on/off the switch to exit REPORTER after running
	\$REPORTER EXIT, true or false
\$	Comment Line
	All other lines are assumed to contain Job information in the following format.
	Input file, REPORTER Template, 1st Variable, 2nd
	Variable, 3rd Variable

e.g.

\$ Define 4 variables for the following jobs

\$VARIABLES,ID,X-COOD,Y-COORD,Z-COORD

\$ Setup 4 jobs using the "head_impact.ort" template, with 4 variable values

Č:\head_impact\r1\head.key,c:\templates\head_impact.ort, RUN 1, 0.03, 0.050, 0.06 C:\head_impact\r2\head.key,c:\templates\head_impact.ort, RUN 2, 0.03, 0.075, 0.06 C:\head_impact\r3\head.key,c:\templates\head_impact.ort, RUN 3, 0.03, 0.100, 0.06 C:\head_impact\r4\head.key,c:\templates\head_impact.ort, RUN 4, 0.03, 0.125, 0.06

\$ Define a new set of variables

\$VARIABLES,SUMMARY_ID


\$ Add another variable

\$VARIABLES_ADD,

\$ Set up a summary report

\$REPORTER_SUMMARY, , c:\templates\head_summary.ort
\$REPORTER_SUMMARY_DIR,c:\head_impact\summary

1.7 Utilities




This option will display an optional menu of additional utility programs. The exact list of programs given will depend on the options set up by the system administrator, see <u>Sect 2.7: Adding items to the "Utilities" menu</u> for more information.

1.8 Preferences

Selecting this tab will open up the **Preferences editor**. This is a graphical interface which allows for manual editing of the **oa_pref** file. For more information on the Preferences editor, see Section 4

1.9 Manuals



This option will only be available if the shell has been able to find a copy of the Adobe Acrobat software to use to display the on-line manuals. If the Acrobat software is available then this button will display a menu listing the manuals that are available for reading and printing.

The location of the DYNA keyword and theory manuals are set with the preferences shell*dyna_keyword_manual and shell*dyna_theory_manual, see <u>Section 2.3</u>. If they are not set they will not be listed in the popup menu.

1.10 Status

This option will display information on the programs that have been licensed.

1.11 Support

This option will display support contact information.

					-	SUPPORT DETA	AILS	
Prepare	•	Analyse	•	Visualise		UK	India	
			1		Tel :	+44 121 213 3399	+91 40 4436 9797	
					Email	: dyna.support@arup.com	india.support@aru	p.com
PRIMER		ls-dyna®		D3PLOT		China	USA	
					Tel :	+86 21 3118 8875	+1 415 940 0959	
			1		Email	: china.support@arup.com	us.support@arup.	com
Options				Options	Web :	www.arup.com/dyna		
	9					Close		

1.12 Themes



The Themes button can be used to select the Theme to use for the User Interface. The selected Theme is saved to the oa_pref file and will also be applied to PRIMER, D3PLOT, T/HIS and REPORTER.

1.13 Command Line Options

These options can be used to automatically start up programs and set default values.

Command	[Options]	Action
su	jobname	Open Submit window for job 'jobname'
pr	NONE	Start PRIMER
pl	NONE	Start D3PLOT
th	NONE	Start T/HIS

1.14 Command Line Submission Shell

When starting the shell on a LINUX system a command line version of the submission shell is available. It will start automatically if an X-connection cannot be established, or manually by putting 'cmd' as a command line option, i.e. 'oasys_17 cmd'. The following screen will be displayed in the terminal: (Note that it may differ slightly depending on preference settings)

Options Current selection ----- LS-DYNA ------(1) Code Version LS970 (v6763) ----- Job Options -----(2) Input File *** Nothing Selected *** (3) Format Keyword (4) CPU Limit 0.00 Seconds (5) Memory Limit Memoryl 40.00 MWords (6) Memory2 Limit (OFF) Memoryl 40.00 MWords (7) Increase Memory If Required On (8) Filename Format Arup '.ptf...' (9) Optional Files ----- Parallel Options -----(10) CPUs 2 CPUs, Consistency Flag On ------ Submission Options -----(12) Submission Type Queue, Now 00:00 (13) Queue CPU Limit 0.00 Seconds Memory 150.00 MWords (14) Queue Memory Limit (15) Queue Name DYNA, CPU Limit: 0 2 CPU x 1 Node (16) Queue Options (88) Reset (99) Submit (77) Status/Kill (-1) Quit

The terminal window may have to be expanded for the contents to fit.

1.14.1 How To Use The Command Line Submission Shell

All the options available on the graphical version of the shell are available, except Restart, T/HIS and REPORTER options. The defaults are the same as the graphical version. The menu is set out with the options on the lefts and the current selection on the right. The options are accessed by typing the number at the prompt and pressing return. This will bring up a menu with further options to make your selection. To return to the main menu, type in '-1' and press return. To quit from the program type in '-1' and press return in the main menu.

1.14.2 Code Version

At the main menu type in '1' and press return. A menu will be displayed with options for the code type:

Select the code type (1) SMP (2) MPP (-1) Main menu

Select the required code type to bring up a menu with options for the precision:

```
Select the precision
(1) Single (2) Double (-1) Main Menu
```

Depending on the options chosen a menu will be displayed with the available LS-DYNA code versions (will differ depending on contents of dyna_versions file):

```
Select the code version
(1) LS970 (v6763) SP SMP RHE 3.0
(2) LS970 (v5434a) SP SMP RHE 3.0
(3) LS971 (R2 v7600_1224) SP SMP RHE 4.0
(4) LS971 R3_1 SP SMP
(-1) Main Menu
(-2) Local LS-DYNA Exe
```

Select the required code version. The main menu will be displayed with the selected code version shown on the right hand side.

1.14.3 Input File

At the main menu type in '2' and press return. A menu will be displayed asking for the file name for the job:

```
Current directory: /u/mid/test
Enter the file name for the job (*.k*). (-1) Main menu
```

The directory the shell was started in is shown at the top of the menu. File names can be entered relative to this directory. For example, if the current directory is /u/mid/test and the job to run is in /u/mid/test/job/to_run.key then you can enter 'job/to_run.key' and press return. If the job to run is in /u/mid/to_run.key you can enter '../to_run.key'. Alternatively, the full path name can be entered.

If the file does not exist or is an invalid type, i.e. doesn't end in *.k* for keyword files, *.inf* for fixed format files or *.lst* for list files, you will be propmpted to enter a file again.

Once a valid file has been chosen the main menu will be displayed with the full path name of the file selected shown on the right hand side.

1.14.4 File Format

At the main menu type in '3' and press return. A menu will be displayed asking for the file format for the job:

```
Select the job format
(1) Keyword (2) Fixed (3) List (-1) Main menu
```

Select the required format. If List was selected and the submission type is not Queue a further menu will be displayed asking whether the jobs should be sequential or not:

```
Turn sequential submission on or off (1) Off (2) On (-1) Main menu
```

Select the required option. The main menu will be displayed with the selected format shown on the right hand side.

Note: Selecting a different job format to the current selection will clear the Input File selection.

1.14.5 CPU Limit

At the main menu type in '4' and press return. A menu will be displayed asking for the job CPU limit units:

```
Select the job cpu limit units
(1) Seconds (2) Minutes (3) Hours (-1) Main menu
```

Select the required units to bring up a menu asking for the job CPU limit:

Enter the job cpu limit. (-1) Main menu

Enter the required limit (can be an integer, decimal, or in the form 1.5E4). The main menu will be displayed with the selected job CPU limit on the right hand side.

1.14.6 Memory Limit

At the main menu type in '5' and press return. A menu will be displayed asking for the job memory limit units:

```
Select the job mem limit units
(1) Words (2) M Words (-1) Main menu
```

Select the required units to bring up a menu asking for the job memory limit:

Enter the job memory limit. (-1) Main menu (Current Selection: 40)

Enter the required limit (can be an integer, decimal, or in the form 1.5E4).

The main menu will be displayed with the selected job memory limit on the right hand side.

1.14.7 Memory2 Limit

At the main menu type in '6' and press return. Please note that the units for MEMORY2 is the same as that entered for MEMORY, also this option is only valid for MPP and HYBRID versions of LS-DYNA.

In LS-DYNA the MEMORY2 input is optional (uses the value set for MEMORY if this option is not set) so the user is first displayed with a menu to switch this option ON/OFF.

Turn on the value for memory2? (Current Selection: 0) (1) Off (2) On (-1) Main Menu

If turned On, the user is displayed with a second menu to enter the required limit (can be an integer, decimal, or in the form 1.5E4).

Enter the job memory2 limit. (-1) Main menu (Current Selection: 40)

The main menu will be displayed with the selected job memory2 limit on the right hand side.

1.14.8 Increase Memory If Required

At the main menu type in '7' and press return. A menu will be displayed asking if the job memory limit should be increase if required:

Increase the memory if required (1) Off (2) On (-1) Main menu

Select the required option. The main menu will be displayed with the selected option on the right hand side.

1.14.9 Filename Format

At the main menu type in '8' and press return. A menu will be displayed asking for the filename format:

Select the filename format (1) ARUP '.ptf ...' (2) LSTC '.D3PLOT ...' (-1) Main menu

Select the required option. The main menu will be displayed with the selected option on the right hand side. **1.14.10 Optional Files**

Options	Current selection
(1) Stress Initialization (.sif)	
(1) Stress initialization (.SII) (2) Interface Segment (.isf2)	Off
(2) VDA Geometry (.vda)	Off
(4) CAL3D Input (.c3d)	Off
<pre>(4) CABSD Imput (.csu) (5) TOPAZ3D Temperature File (.htf)</pre>	
(6) MADYMO Input File	Off
(7) REMAP Option	Off
(8) MPP pfile	Off
(9) GMINP (.gm)	Off
Output F:	
(10)Contact Force File (.ctf)	Off
(11) Interface Segment (.isf1)	Off
(12)Static Database File (.ztf)	On
(12) Static Database File (.201) (13) Winfrith Crack File (.crf)	Off
(14)FSIFOR File	Off
(15) GMOUT (.gm)	Off
(16)CPM Interface Force File	Off
(17) DEM Interface Force File	Off
(18)FSILNK file (.fsl)	Off
(19) PBM Interface Force File (.pbm)	
(20)D3PART File (.d3part)	Off
(21)BEM File (.bem)	Off
(22)General Print File (.root)	Off
Input Opt	
(31) ENDTIM	0.00000
(32) ENDCYC	0
(33) PARA	0
(34) CASE	Off
(35) MCHECK	Off
(36) LONG	Off
(37) BIGID	Off
(38) JOBID	Off
(39) PGPKEY	Off
(40) INIT	Off
(41) D3PROP	Off
Binary F:	ile Size
(50)Binary File Size	1024
(1) Main manu	

```
(-1) Main menu
```

Options 1 - 50 can be toggled on and off simply by selecting them.

The analysis end time can be specified by selecting option 31. The following menu will be displayed:

Enter the end time. (-1) Optional files menu

Enter the required end time (can be an integer, decimal, or in the form 1.5E4). The optional files menu will be shown with the selected end time on the right hand side.

The analysis end cycle can be specified by selecting option 32. The following menu will be displayed:

Enter the end cycle. (-1) Optional files menu

Enter the required end cycle (an integer). The optional files menu will be shown with the selected end cycle on the right hand side.

The analysis para value can be specified by selecting option 33. The following menu will be displayed:

Para value (1) Zero (2) One (-1) Optional files menu

Select the required option. The optional files menu will be shown with the selected para value on the right hand side.

Options 34 - 41 require a user input name (if the option is turned ON). The following menu will be displayed:

Current option name: Enter the new option name: (-1) Main menu (keep the current option name)

To go back to the main menu type in '-1' and press return.

1.14.11 CPUs

At the main menu type in '10' and press return. A menu will be displayed asking for the number of CPUs:

Enter the number of cpus. (-1) Main menu

Enter the required number of CPUs (an integer). If the number of CPUs is too high for the code type (limit is defined in oa_pref) then you will be asked to enter again. Once a valid number has been entered a menu will be displayed asking if the consistency flag should be on or off:

Turn the consistency flag on or off (1) Off (2) On (-1) Main menu

Select the required option. The main menu will be shown with the selected number of CPUs and the consistency flag status on the right hand side.

1.14.12 Node Options

This option will only be available if the submission type is not queue and the code type is MPP.

If it is available then at the main menu type in '11' and press return. A menu will be displayed asking for the node option:

Select the node option (1) Local Host (2) Node File (3) Node List (-1) Main menu

Select the required option. If Local Host was selected the main menu will be displayed. If Node File was selected a further menu will be displayed asking for the location of the file:

```
Current directory: /u/mid/test
Enter the node file name. (-1) Main menu
```

The directory the shell was started in is shown at the top of the menu. In the same way as input files, node files can be specified relative to this directory or a full path name can be entered. No check is made to see if the file exists.

If Node List was selected a further menu will be displayed asking for a string:

Enter the node list string. (-1) Main menu

Enter the text and press return. The main menu will be shown with the selected option and file or node list string on the right hand side.

1.14.13 Submission Type

At the main menu type in '12' and press return. A menu will be displayed asking for the submission type:

```
Select the submission type
(1) Online
(2) Background
(3) Batch (unavailable)
(4) Queue (unavailable)
(-1) Main menu
```

Some submission types may be unavailable depending on the settings in the oa_pref file. If an unavailable option is chosen you will be asked to select again.

If Background or Queue are chosen a further menu will be displayed asking for the submission day:

```
Select the submission day
(1) Now (2) Monday (3) Tuesday (4) Wednesday
(5) Thursday (6) Friday (7) Saturday (8) Sunday (-1) Main menu
```

Select the required option to bring up a menu for the start time hour:

Enter the start time hour (0 - 23) (-1) Main menu

Enter the required hour to bring up a menu for the start time minute:

Enter the start time minute (0 - 59) (-1) Main menu

Enter the required minute. The main menu will be displayed with the selected submission type and start time, if applicable, on the right hand side.

Note: If you do not want a delay choose a submission time of Now 00:00.

1.14.14 Queue CPU Limit

If the submission type is Queue then an option to set the queue cpu limit will be available. At the main menu type in '13' and press return. A menu will be displayed asking for the queue CPU limit units:

```
Select the queue cpu limit units
(1) Seconds (2) Minutes (3) Hours (-1) Main menu
```

Select the required units to bring up a menu asking for the queue CPU limit:

Enter the job cpu limit. (-1) Main menu

Enter the required limit (can be an integer, decimal, or in the form 1.5E4). The main menu will be displayed with the selected queue CPU limit on the right hand side.

1.14.15 Queue Memory Limit

If the submission type is Queue then an option to set the queue memory limit will be available. At the main menu type in '14' and press return. A menu will be displayed asking for the queue memory limit units:

Select the queue mem limit units (1) Words (2) M Words (-1) Main menu

Select the required units to bring up a menu asking for the queue memory limit:

Enter the queue memory limit. (-1) Main menu

Enter the required limit (can be an integer, decimal, or in the form 1.5E4). The main menu will be displayed with the selected queue memory limit on the right hand side.

1.14.16 Queue Name

If the submission type is Queue then an option to choose the queue name will be available. At the main menu type in '15' and press return. A menu will be displayed asking for the queue name:

```
Select the queue name
(1) DYNA
(2) Nastran
(3) Other
(-1) Main Menu
```

The options available will depend on the contents of the 'oasys_queue' file.

Select the required option. The main menu will be displayed with the selected queue shown on the right hand side.

1.14.17 Queue Options

If the submission type is Queue then an option to specify some queue options will be available. At the main menu type in '16' and press return. A menu will be displayed with the available commands, depending on the queue and number of cpus chosen (will differ depending on the contents of the 'oasys_queue' file):

```
Select the queue command
(1) 2 CPUs x 1 Node
(2) 1CPUs x 2 Nodes
(-1) Main Menu
```

Select the required option. The main menu will be shown with the selected queue command.

1.14.18 Submit

Once you are happy with the options chosen, at the main menu type in '99' and press enter to submit the job.

If output files already exist a menu asking whether to overwrite or delete them will be displayed:

```
Some output files already exist (1) Overwrite (2) Delete (3) Cancel
```

Select the required option and if cancel was not selected the job will be submitted.

1.14.19 Reset

To reset the selected options to defaults at the main menu type in '88' and press enter.

1.14.20 Status / Kill

The status of a run can be queried or killed by typing in '77' and enter at the main menu. The following menu will be displayed:

Options	Current Selection
(1) SW1 : Write a Restart File and Terminate	Off
(2) SW2 : Report Time and Cycle Number	Off
(3) SW3 : Write a Restart File and Continue	Off
(4) SW4 : Write a Plot State and Continue	Off
(5) SW5 : Interactive graphics and real time visualization	Off
(6) SW7 : Turn off real time visualization	On
(7) SW8 : Interactive 2D rezoner for solid elements and real time visualization.	Off
(8) SW9 : Turn off real time visualization (for option SW8)	Off
(9) FILE : Send Ouput from SW2 to a File	Off
(10) SWA : Flush ASCII file buffers	Off
(11) SWB : Write a DYNAIN File and Continue	Off
(12) SWC : Write a DYNAIN and a Restart File and Continue	Off
(13) SWC : Write a DYNAIN and a Restart File and Terminate	Off
(14) CONV : Temporarily override nonlinear convergence tolerances	Off
(15) ITER : Enable/Disable output of binary plot database "d3iter" after each equilibrium iteration	Off
(16) Enable/Disable output of equation solver memory, cpu	Off
LPRINT: requirements	
(17) Enable/Disable output of nonlinear equilibrium NLPRINT: iteration information	Off
(18) PROF : Output current timing information to messag (SMP) or prof.out (MPP).	Off
(19) STOP : Halt execution immediately, closing open files	Off
(99) Apply (-1) Main menu	

Select the required option to toggle what to do. Select Apply to carry out the option selected.

Note: A job must be selected before this menu can be displayed.

2 Customising the Shell

This section is relevant to those responsible for installing the software suite.

2.1 LINUX Installation

On LINUX systems the Shell is accessed via the "oasys_17" command. If you have installed the software using the install script then the oasys_16 command file (in the /executables directory) will automatically be updated to contain the correct path for the directory the software was installed in and the name of the license server for the software installation.

In addition to specifying the installation directory and the license server the "oasys_17" command file can also be set a number of other options on LINUX systems.

After installing the software the "oasys_17" command file should contain the following. (This assumes the software was loaded in a directory called /prg and that the license server in a machine called **atghps50**.

```
#!/bin/csh -f
 onintr start flush
#
#
 Set OA INSTALL to point to the directory containing the software
#
 setenv OA INSTALL "/prg/oasys17/executables"
#
#
 Set OA ADMIN directory
#
#
 setenv OA ADMIN
#
#
 Set ARUP LICENSE PATH to either the Oasys LM-X license file or
#
 the license server
#
 e.g setenv ARUP_LICENSE_PATH $OA INSTALL/arup.lic
#
 or setenv ARUP LICENSE PATH @hostname
#
#
 setenv ARUP LICENSE PATH @atghp02
#
#
 Set OASYS_LICENSE_FILE to either the Oasys flex1m license file or
#
 the license server
#
#
 e.g setenv OASYS LICENSE FILE $OA INSTALL/oasys flexlm.dat
 or setenv OASYS LICENSE FILE @hostname
#
#
 setenv OASYS LICENSE FILE @atghps50
#
#
 Set LSTC FILE to either the lstc license file or the server
#
 e.g. setenv LSTC LICENSE
#
                                    local
#
                                    $OA_INSTALL/LSTC FILE
       setenv LSTC_FILE
#
#
 e.g. setenv LSTC LICENSE SERVER hostname
       setenv LSTC INTERNAL CLIENT OFF
#
#
       setenv LSTC LICENSE
                                    network
#
  setenv LSTC FILE $0A INSTALL/LSTC FILE
#
#
 Other environment variables
#
 setenv USERID 'whoami'
  set noglob
#
#
 This environment variable gives a more stable animation frame rate on
#
 machines equipped with NVidia graphics cards
#
  setenv GL CONSTANT FRAME RATE HINT 1
#
#
#
 Set EDITOR (if not set) to the command to invoke an external editor. This
 EDITOR is currently used for editing comment lines in Oasys Ltd. PRIMER.
#
```

```
Shell
```

```
#
# if(! $?EDITOR) then
 setenv EDITOR /usr/bin/kedit # LINUX
#
#
 endif
#
 Environment variables for post processors
#
#
#
  If FILE SKIP has not been set then set it to 5
#
  if(! $?FILESKIP) then
    setenv FILE_SKIP 5
  endif
#
#
 MACHINE SPECIFIC LINES
#
  #
#
  extra line needed for some IBM machines
#
  setenv LANG En US
#
 Extra line needed for SUN Solaris Machines
#
#
 setenv LD LIBRARY PATH /usr/openwin/lib
#
#
#
 Now start the main shell executable
#
  set cwd = 'pwd'
  setenv PWD $cwd
  $OA INSTALL/xshell 17 $*
#
#
 exit
#
exit:
  exit
The following parameters will require modifying in accordance with your system layout
     setenv OA_INSTALL<option>
     setenv OA_ADMIN / OA_ADMIN_17<option> (optional)
```

```
setenv OX_AUP_LICENSE_PATH / LMX_LICENSE_PATH <option>
setenv LSTC_FILE / LSTC_LICENSE_SERVER <option>
setenv MENU_AUTO_CONFIRM <option> (optional)
setenv FILE_EXIST_ACTION <option> (optional)
setenv ECHO_PREFERENCE <option> (optional)
```

2.1.1 setenv OA_INSTALL <option>

The 'OA_INSTALL' Shell variable must be modified so that it references the directory in which the Shell is loaded. i.e if the software has been loaded in:

/prg/oasys17/executables

set this line to:

setenv OA_INSTALL''/prg/oasys17/executables''

This line should be set automatically by the installation script.

2.1.2 setenv OA_ADMIN / OA_ADMIN_17<option>

If a top level administration directory is to be used then OA_ADMIN_17 (for release 17.0) must be defined for all machines on which the software is to be run. This variable should be set to the full pathname of the administration directory.

A description of the installation organisation is given in the Appendix.

2.1.3 setenv ARUP_LICENSE_PATH / LMX_LICENSE_PATH <option>

Either ARUP_LICENSE_PATH or LMX_LICENSE_PATH can be used to locate a valid license for the Oasys Ltd. LS-DYNA environment software. It is recommended that ARUP_LICENSE_PATH is used as this can speed up the checkout of licenses on systems where LMX_LICENSE_PATH is used to find other license servers as well.

2.1.3.1 Floating Network License

If you are running the software using a license server then this variable should be set to point to the license server machine using the machine's hostname.

i.e setenv ARUP_LICENSE_PATH hostname

or setenv ARUP_LICENSE_PATH port@hostname if you have specified a non default port for the server.

2.1.3.2 Fixed Stand-alone Licenses

If you are using a node locked license file then this variable should be set to point to the location of the license file.

i.e setenv ARUP_LICENSE_PATH <INSTALL_DIR>/arup.lic

2.1.3.3 Multiple LMX license files

If you have other software that uses LMX then this Environment variable may already be set to point to a license file or a license server. If this variable is already set then you may add the license server or file for this software by specifying a colon separated list of values.

i.e setenv ARUP_LICENSE_PATH port@hostname1: @hostname2

2.1.4 setenv LSTC_FILE / LSTC_LICENSE_SERVER <option>

On LINUX machines LS-DYNA can use either a nodelocked license or a floating license system.

If you are using a nodelocked license then LSTC_FILE should be set to the full pathname of the license file. By default this file should be called 'LSTC_FILE' and it should be located in the 'executables' directory. The variable LSTC_LICENSE should also be set to "local"

i.e setenv LSTC_FILE \$OA_INSTALL/LSTC_FILE setenv LSTC_LICENSE local

If you are using the floating license system then the variables LSTC_LICENSE_SERVER, LSTC_INTERNAL_CLIENT and LSTC_LICENSE should be set as follows.

i.e setenv LSTC_LICENSE_SERVER hostname setenv LSTC_INTERNAL_CLIENT OFF setenv LSTC_LICENSE network where hostname is the LSTC license server

2.1.5 setenv MENU_AUTO_CONFIRM <option>

This variable is often used when replaying command files which, when recorded, paused and asked the user to confirm things. (For example HELP and Warning messages.) Possible options for this variable are, **true** and **false**.

If the variable is set (**true**) then these will not pause and will behave as if the user had pressed "OK" - meaning that command files can play back without user intervention.

2.1.6 setenv FILE_EXIST_ACTION <option>

This variable controls the action to be taken when opening a file for output, and the file already exists. Possible options for this variable are **"none"**, **overwrite** and **append**.

Normally you will be prompted for the action to be taken when a file selected for output already exists. However if this variable is set to overwrite or append then the relevant action will be taken automatically.

This is generally used when playing automatic post-processing batch scripts


2.1.7 setenv ECHO_PREFERENCE <option>

If this variable is set to "1" then any command line arguments used to start T/HIS, PRIMER or D3PLOT will be echoed to the screen along with any settings read from preference files.

2.2 Windows Installation

When the software is installed a set of icons will automatically be added to:

Start -> All Programs ->Oasys Ltd LS-DYNA Environment 17.0



HOME <u>MENU_AUTO_CONFIRM</u> (optional) <u>FILE_EXIST_ACTION</u> (optional) <u>ECHO_PREFERENCE</u> (optional) <u>DISPLAY_HEIGHT / DISPLAY_WIDTH</u> (optional)

We recommend that these variables are set up by a user with Administrator privileges so that they then apply to all users on the system.

2.2.1 ARUP_LICENSE_PATH / LMX_LICENSE_PATH

Either ARUP_LICENSE_PATH or LMX_LICENSE_PATH can be used to locate a valid license for the Oasys Ltd. LS-DYNA environment software. It is recommended that ARUP_LICENSE_PATH is used as this can speed up the checkout of licenses on systems where LMX_LICENSE_PATH is used to find other license servers as well.

2.2.1.1 Floating Network License

If you are running the software using a license server then this variable should be set to point to the license server machine using the machine's hostname.

```
i.e ARUP_LICENSE_PATH = hostname
```

or **ARUP_LICENSE_PATH = port@hostname** if you have specified a non default port for the server.

2.2.1.2 Fixed Stand-alone Licenses

If you are using a node locked license file then this variable should be set to point to the location of the license file.

i.e ARUP_LICENSE_PATH = <INSTALL_DIR>/arup.lic

2.2.1.3 Multiple LMX license files

If you have other software that uses LMX then this Environment variable may already be set to point to a license file or a license server. If this variable is already set then you may add the license server or file for this software by specifying a colon separated list of values.

i.e ARUP_LICENSE_PATH = port@hostname1;@hostname2

2.2.2 OA_ADMIN / OA_ADMIN_17<option>

If a top level administration directory is to be used then OA_ADMIN_17 (for release 17.0) must be defined for all machines on which the software is to be run. This variable should be set to the full pathname of the administration directory.

A description of the installation organisation is given in the Appendix.

2.2.3 LSTC_FILE / LSTC_LICENSE_SERVER <option>

On Windows machines LS-DYNA can use either a nodelocked license or a floating license system.

If you are using a nodelocked license then LSTC_FILE should be set to the full pathname of the license file. By default this file should be called 'LSTC_FILE' and it should be located in the 'executables' directory. The variable LSTC_LICENSE should also be set to "local"

i.e LSTC_FILE = <INSTALL_DIR>\LSTC_FILE LSTC_LICENSE = local

If you are using the floating license system then the variables LSTC_LICENSE_SERVER, LSTC_INTERNAL_CLIENT and LSTC_LICENSE should be set as follows.

i.e LSTC_LICENSE_SERVER = hostname LSTC_INTERNAL_CLIENT = ON LSTC_LICENSE = network where hostname is the LSTC license server

2.2.4 HOME

The software suite uses a preference file to control a number of settings. By default the software will look for the preference file in 4 locations, the OA_ADMIN_xx directory (if set), the installation directory, \$HOME and the current working directory. The global preference files located in the OA_ADMIN_xx directory and installation directory are read first and then any user specific options are read from the preference file located in \$HOME.

If this variable is not set the user will not be able to set up there own user preferences.

2.2.5 MENU_AUTO_CONFIRM

This variable is often used when replaying command files which, when recorded, paused and asked the user to confirm things. (For example HELP and Warning messages.) Possible options for this variable are **"none"**, **overwrite** and **append**.

If the variable is set (**true**) then these will not pause and will behave as if the user had pressed "OK" - meaning that command files can play back without user intervention.

2.2.6 FILE_EXIST_ACTION

This variable controls the action to be taken when opening a file for output, and the file already exists. Possible options for this variable are **"none"**, **overwrite** and **append**.

Normally you will be prompted for the action to be taken when a file selected for output already exists. However if this variable is set to overwrite or append then the relevant action will be taken automatically.

This is generally used when playing automatic post-processing batch scripts

2.2.7 ECHO_PREFERENCE

If this variable is set to "1" then any command line arguments used to start T/HIS, PRIMER or D3PLOT will be echoed to the screen along with any settings read from preference files.

2.2.8 DISPLAY_HEIGHT / DISPLAY_WIDTH

The software uses system functions to obtain screen dimensions which are used to calculate font sizes. Oasys Ltd have noticed that on some systems, the screen dimensions are not reported correctly (on identical systems Windows XP returned the correct dimensions while Windows Vista returned sizes approximately 20% larger).

If fonts used by the Oasys Ltd. LS-DYNA environment software appear to be the wrong size these 2 variables can be used to override the system calls to define the correct screen dimensions:


set DISPLAY_HEIGHT = (screen physical height in mm)
set DISPLAY_WIDTH = (screen physical width in mm)

2.2.9 Setting Environment Variables

To set these system go into Control Panel and select the System Icon.

This will bring up the window displayed on the left.

Select the "Advanced system settings" option



In the "System Properties" window that is displayed select the Advanced Tab and then the Environment Variables button

System Properties	×				
Computer Name Hardware Advanced System Protection Remote					
You must be logged on as an Administrator to make most of these changes. Performance Visual effects, processor scheduling, memory usage, and virtual memory <u>S</u> ettings					
User Profiles Desktop settings related to your sign-in S <u>e</u> ttings					
Startup and Recovery System startup, system failure, and debugging information Settings					
OK Cancel Apply					

To set up a new Environment Variable select New ...

Enter the variable's name in the Variable box followed by the variable's Value in the Value Box and then select **OK**. Finally, after setting up all the new variables, select **Apply** followed by **OK** to dismiss the System Properties menu.

Variable	Value	^
ARUP_LICENSE_PATH	6200	
LSTC LICENSE SERVER		Y
	<u>N</u> ew <u>E</u> dit <u>D</u> elete	
/stem variables		
Variable	Value	^
ADOKELEV LICENCE EUE	@ A DESKCLOUK, @ ANAVA DESKCLO, @ FARA DESK101, @ A DESKCLOSV	
ADSKFLEX_LICENSE_FILE	@ADESKGLOUK;@AMXADESKGLO;@EARADESK101;@ADESKGLOSY	
ADVISOR_2017_DIR	C:\Program Files (x86)\IntelSWTools\Advisor 2017\	
ADVISOR_2017_DIR	C:\Program Files (x86)\IntelSWTools\Advisor 2017\	
ADVISOR_2017_DIR ADVISOR_XE_2013_DIR	C:\Program Files (x86)\IntelSWTools\Advisor 2017\ C:\Program Files (x86)\Intel\Advisor XE 2013\	
ADVISOR_2017_DIR ADVISOR_XE_2013_DIR ComSpec	C:\Program Files (x86)\IntelSWTools\Advisor 2017\ C:\Program Files (x86)\Intel\Advisor XE 2013\ C:\WINDOWS\system32\cmd.exe	
ADVISOR_2017_DIR ADVISOR_XE_2013_DIR ComSpec DriverData	C:\Program Files (x86)\IntelSWTools\Advisor 2017\ C:\Program Files (x86)\Intel\Advisor XE 2013\ C:\WINDOWS\system32\cmd.exe C:\Windows\System32\Drivers\DriverData	~

2.3 Customising the GUI Shell

The <u>'oa_pref'</u> file controls the setup of a number of the programs in the software suite. Most of the programs will look for this file in the following 4 locations in the order given to allow individual users to customise the programs for their own needs :

- The <u>OA_ADMIN_xx</u> directory
- The directory containing the executables (OA_INSTALL directory)
- The user's login directory
- The current working directory

The 'xshell_17' Shell will look for this file in all four directories. However to stop users trying to override the system settings, it will only read a seletion of the shell preferences from the home and current working directory (those that do not affect system settings). This section only deals with the options for setting up the GUI Shell, the options for the other programs are covered in the relevant manuals.

From v94 preferences can be locked. If a preference is locked it cannot be changed in an oa_pref file in a more junior directory. To lock a preference use the syntax '**shell**#' rather than '**shell***'.

From v94 Environment variables can be used and they will be expanded by the shell. For example on Windows you could specify the temp folder with shell*temp_folder: %USERPROFILE%/my_temp_folder.

Any line in the <u>'oa_pref'</u> file that does not start with the string '**shell***' or '**shell**#' is ignored, normally comment lines will be prefixed with a # for clarity. The relevant sections of this file follows below.

	Preferences file for sof	tware.		
# # #	SHELL stuff:			
	Definition	Туре	Valid arguments	Default
	online		TRUE or FALSE	TRUE
	background	-	TRUE OF FALSE	TRUE
	batch	-	TRUE OF FALSE	TRUE
	queue	-	TRUE OF FALSE	TRUE
	default	string		ONLINE
π	deraurt		BATCH or QUEUE	ONDINE
#	display_factor	real	Factor on display size (0.5-2.0)	1.0
#	button_gradation		Button shade gradation (0.0-1.0)	0.5
#	dyna_keyword_manual		Pathnames of up to 4 Dyna keyword manuals, separated by commas	
#	dyna_theory_manual		Pathname of Dyna theory manual	
	batch_type		PBSPR071	NQS
	queue_output_file	_	Add output file directive to job script	
	<pre>queue_error_file</pre>	-	Add error file directive to job script	TRUE
#	queue_error_path		. Add job path to output/error directive in job script	TRUE
	queue_memory	real	Batch Queue Memory Size	15000000
#	queue_memory_units	string	WORDS or MWORDS	WORDS
#	queue_cpu	real	Batch Queue CPU Limit	0
#	queue_cpu_units	-	SECONDS, MINUTES or HOURS	SECONDS
#	queue_space	real	Batch Queue File Space Limit 1024	1024
#	queue_machine	string	Name of LSF queuing machine	
#	request_cpu_limit	logical	TRUE or FALSE	TRUE
#	request_memory_limit	logical	TRUE or FALSE	TRUE
#	request_space_limit	logical	TRUE or FALSE	FALSE
#	system_cpu	real	Minimum System Time (seconds)	90
#	job_format	string	KEYWORD or FIXED	KEYWORD
#	file_names	string	ARUP or LSTC	ARUP
#	job_memory	real	Job Memory Size	900000
#	job_memory_units	string	WORDS or MWORDS	WORDS
#	job_cpu	real	Job CPU Limit	0
#	job_cpu_units	string	SECONDS, MINUTES or HOURS	SECONDS
#	allow_mem_change	logical	TRUE or FALSE	TRUE
#	file_size	integer	Binary File Size	1024
#	write_ctf	logical	TRUE or FALSE	FALSE
#	write_ztf	logical	TRUE or FALSE	TRUE
#	batch_display	string	TRUE or FALSE	
#	keep_files	logical	TRUE or FALSE	FALSE
#	d3plot64_version	string	name of 64 bit D3PLOT executable	d3plot17_64.exe
#	this64_version	string	name of 64 bit T/HIS executable	this17_64.exe
#	primer64_version	string	name of 64 bit PRIMER executable	primer17_64.exe
#	reporter64_version	string	name of 64 bit REPORTER executable	reporter17_64.exe
#	shell_release	string	version # displayed for shell	17.0
#	max_cpus	integer	Maximum number of CPUS	4

<pre># max_mpp_cpus</pre>	integer Maximum number of CPUs for MPP	4
<pre># default_cpus</pre>	integer Default number of CPUs for SMP	1
<pre># default_mpp_cpus</pre>	integer Default Number of CPUs for MPP	1
<pre># max_node_cpus</pre>	integer Maximum number of CPUs per node for MPP jobs	2
<pre># pack_nodes</pre>	logical Pack MPP jobs on the minimum number of nodes	TRUE
<pre># submit_shell</pre>	string CSHELL or BSHELL	CSHELL
# unix_type	string SYSTEM5 or BSD	SYSTEM5
<pre># manual_reader</pre>	string location of ADOBE ACROBAT reader	acroread
<pre># enable job monitoring</pre>	logical TRUE or FALSE	TRUE
# temp folder	string Location to write .bat file	C:\TEMP
" ·····F····	to on a PC	
<pre># max_hybrid_mpp_threads</pre>	integer Maximum number of MPP threads for Hybrid Dyna	4
<pre># max_hybrid_smp_threads</pre>	integer Maximum number of SMP threads for Hybrid Dyna	4
#	integer Default number of MPP	1
default hybrid mpp threads	-	-
#	integer Default number of SMP	1
default hybrid smp threads		-
# case option	logical case option	FALSE
# mcheck option	logical mcheck option	FALSE
# xterm start	logical Start programs from an xterm	
# ACEIM_BCAIC	console	IKUE
<pre># default code type</pre>	string SMP, MPP or HYBRID	MPP
# default precision	string SINGLE or DOUBLE	SINGLE
<pre># write_reporter</pre>	logical Write a Reporter file as output from Reporter	FALSE
<pre># write_html</pre>	logical Write an HTML file as output	FALSE
	from Reporter	
# write_pdf	logical Write a PDF file as output from Reporter	TRUE
# write_vba	logical Write a VBA file as output from Reporter	FALSE
# write_ppt	logical Write a PPT file as output from Reporter	FALSE
	······································	

Preferences marked with a '*' can be read from all four directories. If desired they can still be locked in the <u>OA_ADMIN_xx</u> or <u>OA_INSTALL</u> directories using the 'shell#' syntax:

shell*online: TRUE shell*background: TRUE shell*batch: TRUE shell*queue: TRUE shell*default: ONLINE shell*dyna keyword manual: (*) shell*dyna theory manual: (*) shell*batch type: NQS
shell*queue output file: TRUE shell*queue error file: TRUE shell*queue error path: TRUE shell*queue memory: 15000000 shell*queue memory units: WORDS shell*queue cpu: 0 shell*queue cpu units: SECONDS shell*batch type: NQS shell*queue space: 1024 shell*queue machine: shell*request cpu limit: TRUE shell*request memory limit: TRUE shell*request space limit: FALSE shell*system cpu: 90 shell*job format: KEYWORD

```
shell*file names: ARUP (*)
shell*job memory: 9000000
shell*job memory units: WORDS
shell*job cpu: 0
shell*job cpu units: SECONDS
shell*allow mem change: TRUE
shell*file size: 1024 (*)
shell*write ctf: FALSE (*)
shell*write ztf: TRUE (*)
shell*batch display:
                       (*)
shell*keep files: FALSE (*)
shell*d3plot64 version: d3plot17_64.exe
                                          (*)
shell*this64 version: this17 64.exe (*)
shell*primer64 version: primer17 64.exe (*)
shell*reporter64 version: reporter17 64.exe (*)
shell*shell release: 17.0
shell*max cpus: 1
shell*max mpp cpus:
shell*default cpus: 1 (*)
shell*default mpp cpus: 1 (*)
shell*max node cpus:
shell*pack nodes: TRUE
shell*submit shell: CSHELL
shell*unix_type: SYSTEM5
shell*manual reader: acroread (*)
shell*temp folder: C:\TEMP (*)
shell*max hybrid mpp threads:
shell*max hybrid smp threads: 1
shell*default hybrid mpp threads:
shell*default_hybrid_smp_threads:
shell*case option: FALSE
shell*mcheck option: FALSE
shell*xterm start: TRUE
shell*default code type: MPP (*)
shell*default precision: SINGLE (*)
shell*write reporter: FALSE
                             (*)
shell*write html: FALSE (*)
shell*write pdf: TRUE (*)
shell*write vba: FALSE (*)
shell*write ppt:
                 FALSE
                        (*)
```

2.3.1 shell*online / shell*background / shell*batch / shell*queue

The XSHELL can submit LS-DYNA jobs using four different options. Any of these methods can be made inaccessible by setting the relevant variable to **FALSE**. If an option is not available on a machine then the variable should also be set to **FALSE**.

shell*online - Allows jobs to be submitted interactively. Delayed start times cannot be specified. shell*background - Allows jobs to be submitted to background. If a delayed start times is specified then the job

will be submitted using the LINUX 'at' command. **shell*batch** - Allows jobs to be submitted using the LINUX 'batch' command. Delayed start times cannot be specified.

shell*queue - Allows jobs to be submitted to NQE style batch queues using 'qsub' or equivalent commands. Delayed start times, CPU/Memory limits and accounts may be specified.

If shell*queue is set to FALSE then sections 2.3.3 to 2.3.10 can be ignored.

2.3.2 shell*default

This variable controls the default option that will be used to submit LS-DYNA jobs. It should be set to either **ONLINE, BACKGROUND, BATCH**, or **QUEUE** to select the required default.

2.3.3 shell*dyna_keyword_manual

This variable should be set to the location of the Dyna keyword PDF manuals. Set the full pathname. Up to four PDFs can be specified (e.g. if there are separate volumes) by separating the pathnames with a comma.

2.3.4 shell*dyna_theory_manual

This variable should be set to the location of the Dyna theory PDF manual. Set the full pathname.

2.3.5 shell*batch_type

This variable controls the type of queue the **QUEUE** command (see <u>shell*online / shell*background / shell*batch / shell*queue</u>) submits the job to. At present this variable may be set to **NQS**, **LSF**, **SGE** (SUN GRID ENGINE), **PBS**, **PBSPRO7** and **PBSPRO71**. Due to the limitations of some of the queuing systems not all options are available with all queue types, see table below.

Function	NQS	PBS / PBSPRO7 / PBSPRO71	LSF	SGE
Analysis Start Time	Available	Available	Available	Unavailable
Analysis Start Day	Available	Available	Unavailable	Unavailable

2.3.6 shell*queue_output_file

This variable controls if the Shell writes a queue directive to specify a file for output when a job is submitted to a queueing system. If this option is set to **TRUE** then the queue will add the following line to the top of the job submission script.

Queue Type	Command
NQS	#QSUB -o "job_directory"/"jobname".log
PBS / PBSPRO7/ PBSPRO71	#PBS -o "job_directory"/"jobname".log
SGE	#QSUB -o "job_directory"/"jobname".log
LSF	#BSUB -o "job_directory"/"jobname".log

2.3.7 shell*queue_error_file

These variable controls if the Shell writes a queue directive to specify a file for errors when a job is submitted to a queueing system. If this option is set to **TRUE** then the queue will add the following line to the top of the job submission script.

Queue Type	Command
NQS	#QSUB -eo #QSUB -o "job_directory"/"jobname".err
PBS / PBSPRO7/ PBSPRO71	#PBS -e"job_directory"/"jobname".err
SGE	#QSUB -e "job_directory"/"jobname".err
LSF	#BSUB -e "job_directory"/"jobname".err

2.3.8 shell*queue_error_path

This option can be used to specify if the queue directives for the <u>output</u> and <u>error</u> files should contain the job path or not. By default this option is set to **TRUE**.

2.3.9 shell*queue_memory

This variable controls the value used for the default Queue Memory limit. The required value should be specified using the units defined by the **shell*queue_memory_units** variable (see <u>Queue Memory Units</u>). A value of 0 means that the job will be submitted with a unlimited Queue Memory.

2.3.10 shell*queue_memory_units

This variable controls whether the default Queue Memory limit is specified in words or megawords. It should be set to either **WORDS** or **MWORDS** respectively.

2.3.11 shell*queue_cpu

This variable controls the value used for the default Queue CPU Limit. The required value should be specified using the units defined by the **shell*queue_cpu_units** variable (see <u>Queue Cpu Units</u>). A value of 0 means that the job will be submitted with a unlimited Queue CPU.

2.3.12 shell*queue_cpu_units

This variable controls whether the default Queue CPU Limit is specified in seconds, minutes or hours. It should be set to either **SECONDS**, **MINUTES** or **HOURS** respectively.

2.3.13 shell*queue_space

This variable controls the value used for the default File Space limit. The required value should be specified in Mbytes. A value of 0 means that the job will be submitted with an unlimited File Space Limit.

2.3.14 shell*queue_machine

This variable may be used to specify the name of the queuing machine used by **LSF** batch queues. This option is passed as the **-m** parameter to the LSF **bsub** command.

e.g. bsub -m queue_machine

2.3.15 shell*request_cpu/memory_limit

These variables control whether Queue CPU and Memory limits have to be specified when jobs are submitted to NQS style queues. If they do have to be specified then set the relevant variable to **TRUE**, otherwise set them to **FALSE**.

2.3.16 shell*request_space_limit

This variable controls whether a Per-request File Space limit has to be specified when jobs are submitted to NQS style queues. If they do have to be specified then set this variable to **TRUE**, otherwise set it to **FALSE**.

2.3.17 shell*system_cpu

This variable controls the minimum amount of 'system' time, in seconds, that a job submitted to a NQS style queue will require if the queue has been set up using a Queue CPU Limit, (see <u>Request Cpu Limit/ Request Memory Limit</u>). When a job is submitted to such a queue a 'system' CPU time will be calculated as either 2.5% of the Analysis CPU time or the value of this variable. If the difference between the Queue CPU limit and the Analysis CPU limit is smaller than this value the Queue CPU limit will automatically be increased to allow enough system time for the job to terminate normally when the Analysis CPU limit has been reached.

2.3.18 shell*job_format

This variable controls the default file format that will be expected by LS-DYNA. It can be set to either KEYWORD or FIXED.

2.3.19 shell*file_names

This variable controls the names of the output files generated by LS-DYNA. This variable can be set to either ARUP or LSTC.

With LS-DYNA 970 onwards the names of the output files can also be specified using the *KEYWORD_ID option where a filename prefix for all of the output files is specified within the input file.

Output File	ARUP		*KEYWORD_ID	
Binary Complete State Database	'jobname'.ptf	d3plot	'prefix'.d3plot	
Time History Database	'jobname'.thf	d3thdt	'prefix'.d3thdt	
Extra Time History Database / jobname / .xtf		xtfile	'prefix'.xtfile	
Binary Output File	ut File binout		'prefix'.binout	
Restart Dump File 'jobname'.dpf		d3dump	'prefix'.d3dump	
Running Restart Dump File 'jobname'.adf		runrsf	'prefix'.runrsf	

2.3.20 shell*job_memory

This variable controls the value used for the default Analysis Memory limit, the amount of **CORE** memory that LS-DYNA will use to store data. The required value should be specified using the units defined by the shell*job_memory_units variable (see Job Memory Units). A value of 0 means that the job will be submitted with a the default amount of **CORE** memory built into that LS-DYNA. The default value of 9000000 should be enough for models of up to 60000 elements.

2.3.21 shell*job_memory_units

This variable controls whether the default Analysis Memory limit is specified in words or megawords. It should be set to either **WORDS** or **MWORDS** respectively.

2.3.22 shell*job_cpu

This variable controls the value used for the default Analysis CPU limit. The required value should be specified using the units defined by the **shell*job_cpu_units** variable (see <u>Job Cpu Units</u>). A value of 0 means that the job will be submitted with no Analysis CPU limit.

2.3.23 shell*job_cpu_units

This variable controls whether the default Analysis CPU limit is specified in seconds, minutes or hours. It should be set to either **SECONDS**, **MINUTES** or **HOURS** respectively.

2.3.24 shell*allow_mem_change

This variable controls whether users can change the amount of **CORE** memory used by LS-DYNA. If this variable is set to **FALSE** then users will not be able to modify the Analysis Memory Limit and will be forced to use the default value built into LS-DYNA.

2.3.25 shell*file_size

This variable controls the default binary file size produced by LS-DYNA. The value specified gives the required file size in Mbytes.

2.3.26 shell*write_ctf

By default the **'xshell_17'** is set up so that the default is for LS-DYNA to write out CTF binary files when a jobs is submitted (see the <u>Job Options menu</u>). If this variable is set to **FALSE** then this option will be turned off by default.

2.3.27 shell*write_ztf

By default the 'xshell_17' is set up so that after an LS-DYNA run PRIMER is automatically run to generate a .ZTF file for D3PLOT to read (see the <u>Job Options menu</u>). If this variable is set to **FALSE** then this option will be turned off by default.

2.3.28 shell*batch_display

This variable can be used to specify a LINUX DISPLAY that can be used for batch processing commands.

2.3.29 shell*keep_files

This variable controls whether temporary files created during the submission process and any **CORE** files created if a job terminates abnormally are deleted automatically. If this variable is set to **TRUE** the files will not be deleted.

2.3.30 shell*<****>_version

By default the **'xshell_17**' is set up to access and run software that uses the default program names. This option allows the name of any executable to be modified as required and for the **'xshell_17**' to be notified of this name change.

e.g. shell*d3plot64_version: d3plot90.exe

would force the version 17 Shell to run the version 9.0 copy of d3plot, (**d3plot90.exe** would have to be in the directory containing the version 17 executables).

32 bit versions of D3PLOT, T/HIS, PRIMER and REPORTER are no longer released. The names for the 64 bit versions can be modified using

shell*this64_version: shell*d3plot64_version: shell*primer64_version: shell*reporter64_version:

2.3.31 shell*shell_release

By default the 'xshell_17' is set up to display 17.0 as the version. This option allows the version number displayed to be changed if a customised installation is set up

2.3.32 shell*max_cpus/shell*max_mpp_cpus

These variable controls the maximum number of CPU's that can be selected for SMP and MPP parallel jobs.

2.3.33 shell*default_cpus/shell*default_mpp_cpus

These variable controls the default number of CPU's for SMP and MPP parallel jobs.

2.3.34 shell*max_node_cpus

This variable should be set to the number of CPUS each node has in a cluster. When a MPP job is submitted to a PBS queue this variable will be used to calculate the required number of nodes that will be requested from the PBS queuing system.

2.3.35 shell*pack_nodes

This variable is used along with <u>shell*max_node_cpus</u> to calculate the number of nodes required when submitting a MPP job to a PBS queuing system. If this is set to TRUE then the minimum number of nodes will be requested.

# Job CPU's	max_node_cpus	pack_nodes	PBS node request	PBSPro 7.0 node request	PBSPro 7.1 node request
2	2	TRUE	nodes=1:ppn=2 (1x2)	nodes=1:ppn=1:ncpus=2	select=1:ncpus=2
2	2	FALSE	nodes=2:ppn=1 (2x1)	nodes=2:ppn=1:ncpus=1	select=2:ncpus=1
8	2	TRUE	nodes=4:ppn=2 (4 x 2)	nodes=4:ppn=1:ncpus=2	select=4:ncpus=2
8	2	FALSE	nodes=8:ppn=1 (8x1)	nodes=8:ppn=1:ncpus=1	select=8:ncpus=8
7	4	TRUE	nodes=1:ppn=4+1:ppn=3 (1x4 + 1x3)	nodes=1:ppn=1:ncpus=4 +1:ppn=1:ncpus=3	select=1:ncpus=4 +1:ncpus=3
7	4	FALSE	nodes=7:ppn=1 (7x1)	nodes=7:ppn=1:ncpus=1	select=7:ncpus=1

Note that if commands are specified in the "oasys_queue" file then the following defaults will be overidden.

2.3.36 shell*submit_shell (LINUX only)

LS-DYNA jobs are submitted on LINUX systems using script files. This variable can be set to either **CSHELL** or **BSHELL** to create either CSHELL or BOURNE shell scripts.

2.3.37 shell*unix_type

This variable controls the default binary file size produced by LS-DYNA. The value specified gives the required file size in Mbytes.

2.3.38 shell*manual_reader (LINUX only)

This option should be set to point to where a copy of the Adobe Acrobat reader software can be found on the system.

2.3.39 shell*temp_folder (Windows only)

This option can be used to specify a folder that the Shell can use to create temporary files while submitting LS-DYNA jobs. The directory should be on a local system disk not a networked disk as some Anti-Virus programs block running DOS batch files from Network Drives. The default folder is C:\TEMP

2.3.40 shell*max_hybrid_mpp_threads

This option controls the maximum number of MPP threads that can be selected for Hybrid jobs.

2.3.41 shell*max_hybrid_smp_threads

This option controls the maximum number of SMP threads that can be selected for Hybrid jobs.

2.3.42 shell*default_hybrid_mpp_threads

This option controls the default number of MPP threads that can be selected for Hybrid jobs.

2.3.43 shell*default_hybrid_smp_threads

This option controls the default number of SMP threads that can be selected for Hybrid jobs.

2.3.44 shell*case_option

This option can be used to specify whether the -case option is used in the command line when submitting a job.

2.3.45 shell*mcheck_option

This option can be used to specify whether the -mcheck option is used in the command line when submitting a job.

2.3.46 shell*xterm_start (LINUX only)

This option can be used to specify whether the programs are started from an xterm console or not.

2.3.47 shell*default_code_type

This option can be used to specify the default program code type.

2.3.48 shell*default_precision

This option can be used to specify the default program precision

2.3.49 shell*write_reporter

This option can be used to specify whether to output a Reporter file from Reporter

2.3.50 shell*write_html

This option can be used to specify whether to output an HTML file from Reporter

2.3.51 shell*write_pdf

This option can be used to specify whether to output a PDF file from Reporter

2.3.52 shell*write_vba

This option can be used to specify whether to output a VBA file from Reporter

2.3.53 shell*write_ppt

This option can be used to specify whether to output a PPT file from Reporter

2.4 Adding LS-DYNA versions to the Shell

The list of LS-DYNA versions that can be accessed through the Shell is controlled through an ASCII file called "dyna_versions".

Note the format of this file was changed in version 9.3 and an additional column has been inserted before the label field for MPP codes which identifies which MPI library the version has been compiled with.

The format fo	r SMP versions of LS-	DYNA is :				
<code type=""></code>	<pre>> <precision></precision></pre>	<executable></executable>		<label></label>		
The format fo	r MPP or HYBRID ver	rsions of LS-DYNA is	:			
<code type=""></code>	<pre>> <precision></precision></pre>	<executable></executable>	<mpp type=""></mpp>	<label></label>		
Where:						
<code Type></code 	Is either SMP (shared memory parallel), SERIAL (single threaded non parallel), MPP (distributed memory parallel) or HYBRID					
<precision></precision>	Is either Single (32 bit floating point) or Double (64 bit floating point).					
<executable></executable>	Is the full path of the executable. If the full path name of the executables includes any spaces then the path must be enclosed in "s.					
<mpp type=""></mpp>	This is a string that can be used to identify the MPP library a MPP version of LS-DYNA has been compiled with. This column is not defined for SMP or SERIAL codes,					
<label></label>	Is the label shown in the list of LS-DYNA versions displayed in the submission Shell					

2.4.1 LINUX

Code Type	precision	executable	MPP Type	label
SMP	Single	/dyna/ls971_s_R3_1_xeon64_redhat40.exe		LS971 R3.1 SP SMP
SMP	Double	/dyna/ls971_d_R3_1_xeon64_redhat40.exe		LS971 R3.1 DP SMP
MPP	Single	/dyna/mpp971_s_R3.1hpmpi.exe	HP-MPI	LS971 R3.1 SP MPP HP-MPI
MPP	Double	/dyna/mpp971_d_R3.1_Intelhpmpi.exe	HP-MPI	LS971 R3.1 DP MPP HP-MPI
MPP	Single	/dyna/mpp971_s_R3.1_Intellam659.exe	LAM659	LS971 R3.1 SP MPP LAM 6.5.9
MPP	Double	/dyna/mpp971_d_R3.1_Intellam659.exe	LAM659	LS971 R3.1 DP MPP LAM 6.5.9
HYBRID	Single	/dyna/mpp971_s_R5.1.1_65550hybrid.exe	HP-MPI	LS971 R5.1.1 SP HYBRID HP-MPI
HYBRID	Double	/dyna/mpp971_d_R5.1.1_65550hybrid.exe	HP-MPI	LS971 R5.1.1 DP HYBRID HP-MPI
XX7 1111	1			

Would display a menu containing 8 versions of LS-DYNA.

2.4.2 WINDOWS

Code Type	precision	executable	MPP Type	label
SMP	Single	"C:\LS-DYNA\ls971_s_R3_1_win32_p.exe"		Win32 SP LS971vR3.1
SMP	Double	"C:\LS-DYNA\ls971_d_R3_1_win32_p.exe"		Win32 DP LS971vR3.1
MPP	Single	"C:\LS-DYNA\mpp971_s_R3.1_win32_mpich125.exe"	MPICH	Win32 SP LS971vR3.1 (MPICH)
MPP	Double	"C:\LS-DYNA\mpp971_d_R3.1_win32_mpich125.exe"	MPICH	Win32 DP LS971vR3.1 (MPICH)
MPP	Single	"C:\LS-DYNA\mpp971_s_R3.1_win64_hpmpi.exe"	HPMPI	Win64 SP LS971vR3.1 (HPMPI)
MPP	Double	"C:\LS-DYNA\mpp971_d_R3.1_win64_hpmpi.exe"	HPMPI	Win64 SP LS971vR3.1 (HPMPI)

If MPP jobs are going to be run across multiple machines and the LS-DYNA executables are located on a network disk then the full UNC path should be specified instead of the local drive letter.

Code Type	precision	executable	MPP Type	label
MPP	Single	"\\SERVER\LS-DYNA\mpp971_s_R3.1_win64_hpmpi.exe"	HPMPI	Win64 SP LS971vR3.1 (HPMPI)
MPP	Double	"\\SERVER\LS-DYNA\mpp971_d_R3.1_win64_hpmpi.exe"	HPMPI	Win64 SP LS971vR3.1 (HPMPI)

2.5 Customising the LS-DYNA submission script

The Shell generates either a LINUX CShell/Bourne Shell script (jobname.ctl) or a DOS batch file (jobname.bat) that contains all of the selected LS-DYNA job options. On LINUX systems the choice of either CShell or Bourne Shell is controlled by the <u>shell*submit_shell</u> option in the oa_pref file.

In version 17.0 of the Shell the contents of these batch files can be modified by editing the "oasys.submit" file located in the installation directory.

The batch file created by the submission Shell is split into 4 sections

	Contents	
Queuing Commands	Queue commands for NQS, SGE, LSF and PBS queuing systems. If the job is not submitted to a queue then this section of the batch file will be empty.	Automatically generated by the Shell
Environment Variables	This section of the batch file sets up a number of Environment variables. The first group contain information relating to license systems while the second set contain information relating to the selected version of LS-DYNA and the job.	Automatically generated by the Shell
LS-DYNA submission	This section of the batch file contains the commands that are actually used to run LS-DYNA. The contents of this section are included from a file in the installations directory.	User configurable

- I	Commands for running T/HIS and Reporter automatically after the LS-DYNA job terminates.	Automatically generated by the
		Shell

The following sections include examples taken from the batch file created for a job submitted to a PBS queuing system on a LINUX machine

2.5.1 Queuing Commands

The Shell will automatically add queuing commands to the start of the batch file. The options supported for the different queuing systems are as follows.

Option	NQS	PBS	SGE	LSF
log file	-o "logfile"	-o "logfile"	-o "logfile"	-o "logfile"
error file	-eo	-e "errorfile"	-e "errorfile"	-e "errorfile"
queue name	-q "queuename"	-q "queuename"	-l g="queuename"	-q "queuename"
start time	-a "start time"	-a "start time"		-b "start time"
Memory Limit	-lM "limit"			-M "limit"
CPU Limit	-IT "limit"		-l h_cpu="limit"	-c "limit"
File Limit	-lF "limit"			

The log and error file output options can be disabled by setting the preference options <u>shell*queue_output_file</u> and <u>shell*queue_error_file</u> to **FALSE**.

2.5.2 Environment Variables

The following environment variables are automatically set up in the batch file by the Shell.

Variable	Description
OA_INSTALL	Full pathname of the software installation directory
LSTC_FILE	Full pathname of the LSTC license file. If a LSTC license server is being used then this variable will replaced with the LSTC_LICENSE_SERVER, LSTC_INTERNAL_CLIENT and LSTC_LICENSE variables.
LSTC_MEMORY	Set to auto if the automatic memory option has been selected
LMX_LICENSE_PATH	LMX license information for software suite
LSDYNA_VERSION	Full pathname of the selected LS-DYNA version
LSDYNA_MPP	Set to TRUE if a MPP version of LS-DYNA had been selected
LSDYNA_HYBRID	Set to TRUE if a HYBRID version of LS-DYNA had been selected
LSDYNA_HYBRID_MPP_THREADS	Number of HYBRID MPP threads selected
LSDYNA_HYBRID_SMP_THREADS	Number of HYBRID SMP threads selected
LSDYNA_MPI_TYPE	MPI version from "dyna_versions" file
LSDYNA_DOUBLE	Set to TRUE if a double precision version of LS-DYNA had been selected
LSDYNA_ONLINE	Set to TRUE if the job has been submitted using the Online option.
LSDYNA_BACKGROUND	Set to TRUE if the job has been submitted using the Background option.
LSDYNA_BATCH	Set to TRUE if the job has been submitted using the Batch option.
LSDYNA_QUEUE	Set to TRUE if the job has been submitted using the Queue option.
LSDYNA_QUEUE_NAME	Name of the QUEUE selected
LSDYNA_QUEUE_COMMAND_ <n></n>	Queue commands used (where $\langle n \rangle = 1-20$)
LSDYNA_JOB_DIR	Full pathname of the directory containing the LS-DYNA job
LSDYNA_JOB_FILE	Name of the file containing the LS-DYNA job information
LSDYNA_JOB_NAME	Name of the LS-DYNA job
LSDYNA_JOB_CPUS	Number of CPU's selected for parallel jobs
LSDYNA_USER_ID	Username
LSDYNA_LOCAL_HOST	TRUE if submitting MPP jobs to the local machine
LSDYNA_NODE_FILE	Set to TRUE if submitting MPP jobs using a file containing the list of nodes to use
NODE_FILE	Filename containing the list of nodes to use.
LSDYNA_NODE_LIST	Set to TRUE if submitting MPP jobs using a string containing the list of nodes to use
NODE_LIST	String containing the list of nodes to use.
LSDYNA_RESTART_FILE	Filename of LS-DYNA restart dump file if the analysis is a restart.
LSDYNA_RESTART_INPUT_FILE	Filename of LS-DYNA restart input file if the analysis is a restart and a input file has been selected.
LSDYNA_CL_ARGS	List of command line arguments used. This will only be set if the CASE or MCHECK options have been selected.

```
#
#
 License file variables
#
setenv OASYS
                          /data/dyna10/linux executables
setenv LSTC FILE
                         /prg/LSTC FILE
setenv LSTC MEMORY
                         auto
setenv ARUP LICENSE PATH @atuhp022:@atghps03
#
#
  Job variables
#
setenv LSDYNA_VERSION
/data/dyna10/linux executables/ls970 s 5434 ia64 sgi p.exe
setenv LSDYNA MPP
                              FALSE
setenv LSDYNA DOUBLE
                              FALSE
setenv LSDYNA ONLINE
                             TRUE
setenv LSDYNA_BACKGROUND
                              FALSE
setenv LSDYNA BATCH
                              FALSE
setenv LSDYNA_QUEUE
                              FALSE
setenv LSDYNA JOB DIR
                              /local/test
setenv LSDYNA_JOB_FILE
                              shell test.temp
setenv LSDYNA_JOB_CPUS
setenv LSDYNA_USER_ID
                              2
                              rogerh
setenv LSDYNA LOCAL HOST
                              FALSE
setenv LSDYNA_NODE_FILE
                              TRUE
setenv NODE FILE
                              /local/test/nodelist
setenv LSDYNA NODE LIST
                              FALSE
```

2.5.3 LS-DYNA submission

The commands to run LS-DYNA are included from a user configurable file called "oasys.submit" located in the software installation directory.

As the file is included after the Environment Variable section of the batch file all of the variables that are set up can be used within the include file. This means that a single include file "oasys.submit" can be configured if required which contains separate sections for SMP / MPP jobs.

2.5.3.1 Example of a LINUX "oasys.submit" file

The following example shows the default "oasys.submit" file that is included with the version 17.0 software on LINUX platforms. The default script is setup to submit jobs on a LINUX machine using the PBS queueing system but it should be easy to reconfigure to other machines and queueing systems.

As MPP jobs can use a number of different MPI libraries on LINUX systems this script shows how to submit jobs using HP-MPI, INTEL MPIand MPICH. The default script is setup assuming that the different MPI libraries have been installed in the following directories:

MPI	Directory
HP-MPI	/opt/hpmpi
INTEL MPI	/opt/intel
OPEN MPI	/opt/openmpi

The following Environment Variables are available for this script # # # \$LSDYNA VERSION : full pathname of selected LS-DYNA executable \$LSDYNA MPP : TRUE if MPP version selected # \$LSDYNA MPI TYPE : MPI version # \$LSDYNA_DOUBLE : TRUE if double precision version selected \$LSDYNA_ONLINE : TRUE if the job has been submitted ONLINE \$LSDYNA_BACKGROUND : TRUE if the job has been submitted to BACKGROUND # # # \$LSDYNA BATCH : TRUE if the job has been submitted using BATCH \$LSDYNA_QUEUE : TRUE if the job has been submitted to a QUEUE # # \$LSDYNA_JOB_DIR : full path of LS-DYNA job_directory

```
# $LSDYNA JOB FILE : filename containing LS-DYNA job options
 $LSDYNA_JOB_CPUS : number of CPU's selected
#
 $LSDYNA_USER_ID : username
$LSDYNA_LOCAL_HOST : TRUE if submitting MPP jobs to the local machine
#
#
 $LSDYNA_NODE_FILE : TRUE if submitting MPP jobs using a Node File
#
 $NODE FILE : filename containing node list for MPP jobs
#
 $LSDYNA_LOCAL_HOST : TRUE if submitting MPP jobs using a Node List
#
#
 $NODE LIST : string containing node list for MPP jobs
 $LSDYNA CL ARGS : string containing command line arguments
#
# $LSDYNA HYBRID : TRUE if HYBRID version selected
 $LSDYNA_MPP_THREADS : Number of MPP threads selected for the HYBRID version
#
#
 $LSDYNA SMP THREADS : Number of SMP threads selected for the HYBRID version
#
#
#
 _____
#
#
# THE REST OF THIS SCRIPT HAS BEEN CONFIGURED FOR SUBMITING LS-DYNA JOBS TO A
LINUX SYSTEM USING
# THE PBS QUEUEING SYSTEM. YOU WILL HAVE TO MODIFY THE FOLLOWING IF YOU ARE
USING A DIFFERENT
# QUEUEING STSTEM OR MACHINE TYPE.
#
# ______
#
# Uncomment the following commands if you want to create sub-directories for
your analyses.
# This will only work if you are using the PBS queueing system, as the folders
are named
# after the PBS job id.
#
# Make a new directory for the results - only uncomment one of these lines
# The first one will give the full job id, the second just the job id number
#set RESULTS DIR = $PBS JOBID
#set RESULTS DIR = `echo $PBS JOBID | awk '{split($0,a,"."); print a[1]}'`
#mkdir $LSDYNA JOB DIR/$RESULTS DIR
#
# Get the root name of the job
#
#set ROOT = $LSDYNA JOB FILE:r
# Copy the .temp, names and key file to the results directory
#set KEY = ".key"
#set NAMES = "names"
#cp $LSDYNA_JOB_DIR/$ROOT$KEY $RESULTS_DIR/.
#cp $LSDYNA_JOB_DIR/$LSDYNA_JOB_FILE $RESULTS_DIR/.
#cp $LSDYNA JOB DIR/$NAMES $RESULTS DIR/.
# Change job directory to the results directory
#set LSDYNA JOB DIR = $RESULTS DIR
#cd $LSDYNA JOB DIR
#
#
if ($LSDYNA_MPP != "TRUE" && $LSDYNA_HYBRID != "TRUE") then
#
#
 SMP LS-DYNA submission
#
 _____
#
  $LSDYNA VERSION $LSDYNA CL ARGS
#
else if ($LSDYNA MPP == "TRUE") then
#
# ______
# MPP LS-DYNA submission
```

```
#
# HP-MPI
#
  if ($LSDYNA MPI TYPE == "HP-MPI") then
#
    setenv HPMPI DIR /opt/hpmpi/bin
#
#
  Submit a job to a PBS queueing system
#
    if ($LSDYNA QUEUE == "TRUE") then
#
      if (-e $PBS NODEFILE) then
        rm -rf $LSDYNA_JOB_DIR/appfile >& /dev/null
        if (-f $PBS NODEFILE) then
          foreach roger ( `cat $PBS NODEFILE` )
            echo "-h $roger -np 1 $LSDYNA_VERSION $LSDYNA_CL_ARGS" >>
$LSDYNA JOB DIR/appfile
            set LSDYNA_CL_ARGS = ""
          end
        endif
      endif
      $HPMPI DIR/mpirun -prot -e MPI WORKDIR=$LSDYNA JOB DIR -f appfile
      rm -rf $LSDYNA_JOB DIR/appfile >& /dev/null
#
 Submit a job online
#
#
    else if ($LSDYNA ONLINE == "TRUE") then
#
      if ($LSDYNA LOCAL HOST == "TRUE") then
#
        $HPMPI DIR/mpirun -prot -np $LSDYNA JOB CPUS $LSDYNA VERSION
$LSDYNA CL ARGS
#
      else if ($LSDYNA NODE FILE == "TRUE") then
#
        $HPMPI_DIR/mpirun -prot -np $LSDYNA_JOB_CPUS -hostfile $NODE_FILE -e
LSTC LICENSE SERVER=$LSTC LICENSE SERVER -e LSTC LICENSE=$LSTC LICENSE
$LSDYNA VERSION $LSDYNA CL ARGS
#
       else if ($LSDYNA NODE LIST == "TRUE") then
#
        $HPMPI_DIR/mpirun -prot -np $LSDYNA_JOB_CPUS -hostlist $NODE LIST -e
LSTC LICENSE SERVER=$LSTC LICENSE SERVER -e LSTC LICENSE=$LSTC LICENSE
$LSDYNA VERSION $LSDYNA CL ARGS
#
      endif
#
    endif
#
 INTEL MPT
#
#
  else if ($LSDYNA MPI TYPE == "INTEL") then
#
    setenv INTEL DIR /opt/intel/impi/4.0.3/bin64
    set mpi dir=$INTEL DIR
    source $mpi dir/mpivars.csh
#
    if ($LSDYNA QUEUE == "TRUE") then
#
      $INTEL DIR/mpirun -n $LSDYNA JOB CPUS -wdir $LSDYNA JOB DIR
$LSDYNA VERSION $LSDYNA_CL_ARGS
#
    else if ($LSDYNA ONLINE == "TRUE") then
#
      if ($LSDYNA LOCAL HOST == "TRUE") then
#
         $INTEL_DIR/mpirun -n $LSDYNA JOB CPUS -wdir $LSDYNA JOB DIR
$LSDYNA VERSION $LSDYNA CL ARGS
#
      else if ($LSDYNA NODE FILE == "TRUE") then
#
```

```
$INTEL DIR/mpirun -n $LSDYNA JOB CPUS -machinefile $NODE FILE -wdir
$LSDYNA JOB DIR $LSDYNA VERSION $LSDYNA CL ARGS
#
     else if ($LSDYNA NODE LIST == "TRUE") then
#
       $INTEL DIR/mpirun -n $LSDYNA JOB CPUS -hosts $NODE LIST -wdir
$LSDYNA JOB DIR $LSDYNA VERSION $LSDYNA CL ARGS
#
     endif
#
   endif
#
 OPEN MPI
#
#
 else if ($LSDYNA MPI TYPE == "OPENMPI") then
#
   setenv MPI ROOT /opt/openmpi
   setenv OPENMPI DIR $MPI ROOT/bin
#
   if !($?PATH) then
     setenv PATH $MPI ROOT/bin
    else
     setenv PATH $MPI ROOT/bin:$PATH
    endif
   if !($?LD LIBRARY PATH) then
     setenv LD LIBRARY PATH $MPI ROOT/lib
    else
     setenv LD LIBRARY PATH $MPI ROOT/lib:$LD LIBRARY PATH
    endif
#
    if ($LSDYNA QUEUE == "TRUE") then
#
     if (-e $PBS NODEFILE) then
       rm -rf $LSDYNA_JOB_DIR/appfile >& /dev/null
       if (-f $PBS NODEFILE) then
         foreach host ( `cat $PBS_NODEFILE` )
           echo "$host" >> $LSDYNA JOB DIR/appfile
         end
       endif
      endif
      $OPENMPI DIR/mpirun -machinefile appfile -wdir $LSDYNA JOB DIR
$LSDYNA VERSION $LSDYNA CL ARGS
#
   else if ($LSDYNA ONLINE == "TRUE") then
#
     if ($LSDYNA LOCAL HOST == "TRUE") then
#
        $OPENMPI_DIR/mpirun -n $LSDYNA_JOB_CPUS -wdir $LSDYNA_JOB_DIR
$LSDYNA VERSION $LSDYNA CL ARGS
#
     else if ($LSDYNA NODE FILE == "TRUE") then
#
       $OPENMPI DIR/mpirun -n $LSDYNA JOB CPUS -machinefile $NODE FILE -x PATH
-x LD LIBRARY PATH -x LSTC LICENSE SERVER -x LSTC LICENSE -wdir $LSDYNA JOB DIR
$LSDYNA VERSION $LSDYNA CL ARGS
#
     else if ($LSDYNA NODE LIST == "TRUE") then
#
       $OPENMPI DIR/mpirun -n $LSDYNA JOB CPUS -host $NODE LIST -x PATH -x
LD LIBRARY PATH -x LSTC LICENSE SERVER -x LSTC LICENSE -wdir $LSDYNA JOB DIR
$LSDYNA_VERSION $LSDYNA_CL_ARGS
#
     endif
#
   endif
#
  endif
#
else if ($LSDYNA HYBRID == "TRUE") then
#
# ______
```

```
# HYBRID LS-DYNA submission
# ______
#
# HP-MPI
#
  if ($LSDYNA MPI TYPE == "HP-MPI") then
#
    setenv HPMPI DIR /opt/hpmpi/bin
#
    if ($LSDYNA QUEUE == "TRUE") then
#
       if (-e $PBS NODEFILE) then
        rm -rf $LSDYNA_JOB_DIR/appfile >& /dev/null
        if (-f $PBS NODEFILE) then
          set last host = ""
          foreach host ( `sort $PBS_NODEFILE` )
  if ( $host != $last_host) then
               set count = 0
            endif
            @ count = $count + 1
            if ( $count == 1) then
   echo "-h $host -np 1 $LSDYNA_VERSION" $LSDYNA_CL_ARGS >>
$LSDYNA_JOB_DIR/appfile
              set LSDYNA CL ARGS = ""
            endif
             if ($count == $LSDYNA HYBRID SMP THREADS) then
               set count = 0
            endif
            set last host = $host
          end
        endif
      endif
      $HPMPI DIR/mpirun -cpu bind -prot -e MPI WORKDIR=$LSDYNA JOB DIR -f
appfile
      rm -rf $LSDYNA JOB DIR/appfile >& /dev/null
#
    else if ($LSDYNA ONLINE == "TRUE") then
#
      if ($LSDYNA LOCAL HOST == "TRUE") then
#
        $HPMPI DIR/mpirun -prot -np $LSDYNA HYBRID MPP THREADS $LSDYNA VERSION
$LSDYNA CL ARGS
#
      else if ($LSDYNA NODE FILE == "TRUE") then
#
        $HPMPI_DIR/mpirun -prot -np $LSDYNA_HYBRID_MPP_THREADS -hostfile
$NODE_FILE -e LSTC_LICENSE_SERVER=$LSTC_LICENSE_SERVER -e
LSTC_LICENSE=$LSTC_LICENSE $LSDYNA_VERSION $LSDYNA_CL_ARGS
#
      else if ($LSDYNA NODE LIST == "TRUE") then
#
        $HPMPI_DIR/mpirun -prot -np $LSDYNA_HYBRID_MPP_THREADS -hostlist
$NODE LIST -e LSTC LICENSE SERVER=$LSTC LICENSE SERVER -e
LSTC_LICENSE=$LSTC_LICENSE $LSDYNA_VERSION $LSDYNA_CL_ARGS
#
      endif
#
    endif
#
#
  INTEL MPI
#
  else if ($LSDYNA MPI TYPE == "INTEL") then
#
    setenv INTEL DIR /opt/intel/impi/4.0.3/bin64
    set mpi dir=$INTEL DIR
    source $mpi dir/mpivars.csh
#
    if ($LSDYNA QUEUE == "TRUE") then
#
      if (-e $PBS NODEFILE) then
        rm -rf $LSDYNA_JOB_DIR/appfile >& /dev/null
```

```
if (-f $PBS NODEFILE) then
          set last_host = ""
          foreach host ( `sort $PBS_NODEFILE` )
  if ( $host != $last_host) then
             set count = 0
            endif
            @ count = $count + 1
            if ( $count == 1) then
              echo "$host" >> $LSDYNA_JOB_DIR/appfile
             set LSDYNA CL ARGS = ""
           endif
            if ($count == $LSDYNA HYBRID SMP THREADS) then
              set count = 0
            endif
            set last host = $host
          end
        endif
      endif
      $INTEL DIR/mpirun -n $LSDYNA HYBRID MPP THREADS -machinefile appfile -wdir
$LSDYNA JOB DIR $LSDYNA VERSION $LSDYNA CL ARGS
#
    else if ($LSDYNA ONLINE == "TRUE") then
#
      if ($LSDYNA LOCAL HOST == "TRUE") then
#
        $INTEL DIR/mpirun -n $LSDYNA HYBRID MPP THREADS -wdir $LSDYNA JOB DIR
$LSDYNA VERSION $LSDYNA CL ARGS
#
      else if ($LSDYNA NODE FILE == "TRUE") then
#
        $INTEL DIR/mpirun -n $LSDYNA HYBRID MPP THREADS -machinefile $NODE FILE
-wdir $LSDYNA JOB DIR $LSDYNA VERSION $LSDYNA CL ARGS
#
      else if ($LSDYNA NODE LIST == "TRUE") then
#
        $INTEL DIR/mpirun -n $LSDYNA HYDIRD MPP THREADS -hosts $NODE LIST -wdir
$LSDYNA JOB DIR $LSDYNA VERSION $LSDYNA CL ARGS
#
      endif
#
    endif
#
 OPEN MPI
#
#
  else if ($LSDYNA MPI TYPE == "OPENMPI") then
#
    setenv MPI_ROOT /opt/openmpi
    setenv OPENMPI DIR $MPI ROOT/bin
#
    if !($?PATH) then
     setenv PATH $MPI ROOT/bin
    else
               setenv PATH $MPI ROOT/bin:$PATH
    endif
    if !($?LD LIBRARY PATH) then
     setenv LD LIBRARY PATH $MPI ROOT/lib
    else
      setenv LD LIBRARY PATH $MPI ROOT/lib:$LD LIBRARY PATH
    endif
#
    if ($LSDYNA QUEUE == "TRUE") then
#
      if (-e $PBS NODEFILE) then
        rm -rf $LSDYNA_JOB_DIR/appfile >& /dev/null
        if (-f $PBS NODEFILE) then
          set last host = ""
          foreach host ( `sort $PBS_NODEFILE` )
            if ( $host != $last host) then
              set count = 0
            endif
            @ count = $count + 1
            if ( $count == 1) then
```

```
echo "$host" >> $LSDYNA JOB DIR/appfile
              set LSDYNA CL ARGS = ""
            endif
            if ($count == $LSDYNA HYBRID SMP THREADS) then
              set count = 0
            endif
            set last host = $host
          end
        endif
      endif
      $OPENMPI_DIR/mpirun -machinefile appfile -wdir $LSDYNA_JOB_DIR
$LSDYNA VERSION $LSDYNA CL ARGS
#
    else if ($LSDYNA ONLINE == "TRUE") then
#
      if ($LSDYNA LOCAL HOST == "TRUE") then
#
        $OPENMPI DIR/mpirun -n $LSDYNA HYBRID MPP THREADS -wdir $LSDYNA JOB DIR
$LSDYNA VERSION $LSDYNA CL ARGS
#
      else if ($LSDYNA NODE FILE == "TRUE") then
#
        $OPENMPI DIR/mpirun -n $LSDYNA HYBRID MPP THREADS -machinefile
$NODE FILE -x PATH -x LD LIBRARY PATH -x LSTC LICENSE SERVER -x LSTC LICENSE
-wdir $LSDYNA_JOB_DIR $LSDYNA_VERSION $LSDYNA_CL_ARGS
#
      else if ($LSDYNA NODE LIST == "TRUE") then
#
        $OPENMPI_DIR/mpirun -n $LSDYNA_HYBRID_MPP_THREADS -host $NODE_LIST -x
PATH -x LD_LIBRARY_PATH -x LSTC_LICENSE_SERVER -x LSTC_LICENSE -wdir
$LSDYNA JOB DIR $LSDYNA VERSION $LSDYNA CL ARGS
#
      endif
#
    endif
#
  endif
#
endif
#
```

2.5.3.2 Example of a Windows "oasys.submit" file

The following example shows the default "oasys.submit" file that is included with the version 17.0 software on PC platforms.

As MPP jobs can use either the HP-MPI or MPICH MPI libraries this script shows how to submit jobs using both of them. The default script is setup assuming that the different MPI libraries have been installed in the following directories.

MPI	Directory
HP-MPI	C:\Program Files (x86)\Hewlett-Packard\HP-MPI
PLATFORM MPI	C:\Program Files (x86)\Platform Computing\Platform-MPI
MPICH 2	C:\Program Files\MPICH2
INTEL MPI	C:\Program Files (x86)\Intel

This script also shows

1. How to submit MPP jobs to either the local machine or to multiple machines using either a file containing a list of hostnames or a string containing the hostnames.

2. How to pass environment variables for license options to the remote hosts via the mpirun command.

REM The following Environment Variables are available for this script $\ensuremath{\mathsf{REM}}$

```
REM LSDYNA VERSION : full pathname of selected LS-DYNA executable
REM LSDYNA MPP : TRUE if MPP version selected
REM LSDYNA MPI TYPE : MPI version
REM LSDYNA DOUBLE : TRUE if double precision version selected
REM LSDYNA ONLINE : TRUE if the job has been submitted ONLINE
REM LSDYNA BACKGROUND : TRUE if the job has been submitted to BACKGROUND
REM LSDYNA_BATCH : TRUE if the job has been submitted using BATCH
REM LSDYNA_QUEUE : TRUE if the job has been submitted to a QUEUE
REM LSDYNA_JOB_DIR : full path of LS-DYNA job_directory
REM LSDYNA JOB FILE : filename containing LS-DYNA job options
REM LSDYNA_JOB_CPUS : numbert of CPU's selected
REM LSDYNA USER ID : username
REM LSDYNA_LOCAL_HOST : TRUE if submitting MPP jobs to the local machine
REM LSDYNA_NODE_FILE : TRUE if submitting MPP jobs using a Node File
REM NODE FILE : filename containing node list for MPP jobs
REM LSDYNA_LOCAL_HOST : TRUE if submitting MPP jobs using a Node List
REM NODE LIST : string containing node list for MPP jobs
REM LSDYNA CL ARGS : string containing command line arguments
REM
REM Set windows operating system to determine the path to the MPI executable
REM Uncomment if you want to run the 64bit version
REM
REM set WINOS=WIN32
   set WINOS=WIN64
 REM
REM Set LSTC variables if not already set via system (uncomment if needed)
REM
REM Set LSTC variables if not already set via system
REM - Local licenses
REM set LSTC LICENSE=local
REM LSTC FILE=C:\Licenses\lstc_file
REM Network licenses
  set LSTC LICENSE=network
  set LSTC_LICENSE_SERVER=vdgcls01
  set LSTC INTERNAL CLIENT off
 REM
REM SMP LS-DYNA submission
REM
   IF %LSDYNA MPP% == TRUE GOTO :MPP
  %LSDYNA VERSION% %LSDYNA_CL_ARGS%
  GOTO :DONE
 REM
REM MPP LS-DYNA submission
REM
 :MPP
 REM
REM SETUP MPI RUN COMMANDS
REM
REM - HP MPI
REM
   IF NOT %LSDYNA MPI TYPE% == HPMPI GOTO :PLATFORM
  IF %WINOS% == WIN32 set MPI ROOT=C:\Program Files\Hewlett-Packard\HP-MPI
  IF %WINOS% == WIN32 set MPIRUN="C:\Program
Files\Hewlett-Packard\HP-MPI\bin\mpirun"
  IF %WINOS% == WIN64 set MPI ROOT=C:\Program Files (x86)\Hewlett-Packard\HP-MPI
  IF %WINOS% == WIN64 set MPIRUN="C:\Program Files
(x86) \Hewlett-Packard \HP-MPI \bin \mpirun"
  GOTO :RUN MPP
 REM
REM - PLATFORM MPI
REM
 : PLATFORM
  IF NOT %LSDYNA MPI TYPE% == PMPI GOTO :INTEL
  IF %WINOS% == WIN32 set MPI ROOT=C:\Program Files\Platform
Computing\Platform-MPI
  IF %WINOS% == WIN32 set MPIRUN="C:\Program Files\Platform
Computing\Platform-MPI\bin\mpirun"
  IF %WINOS% == WIN64 set MPI ROOT=C:\Program Files (x86)\Platform
Computing\Platform-MPI
  IF %WINOS% == WIN64 set MPIRUN="C:\Program Files (x86)\Platform
```

```
Computing\Platform-MPI\bin\mpirun"
  IF %LSDYNA MPI TYPE% == PMPI set LSDYNA MPI TYPE=HPMPI
  GOTO : RUN MP
REM
REM - INTEL MPI
REM
 :INTEL
  IF NOT %LSDYNA MPI TYPE% == IMPI GOTO :MPICH
  IF WINOS == WIN32 set MPIRUN="C:\Program
Files\Intel\MPI-RT\4.1.0.028\ia32\bin\mpiexec.exe"
  IF %WINOS% == WIN64 set MPIRUN="C:\Program Files
(x86) \Intel\MPI-RT\4.1.0.028\em64t\bin\mpiexec.exe"
  GOTO :RUN MPP
REM
REM - MPICH2
REM
 :MPICH
 IF NOT %LSDYNA MPI TYPE% == MPICH2 GOTO :NO MATCH
  IF %WINOS% == WIN32 set MPIRUN="C:\Program Files\MPICH2\bin\mpiexec.exe"
  IF %WINOS% == WIN64 set MPIRUN="C:\Program Files\MPICH2\bin\mpiexec.exe"
  GOTO :RUN MPP
REM
REM
 :NO MATCH
 ECHO MPI TYPE NOT RECOGNISED
  exit
REM
 :RUN MPP
 cd %LSDYNA JOB DIR%
REM
REM RUN ANALYSIS
REM
REM HP-MPI or PLATFORM MPI using local machine
REM
   IF %LSDYNA MPI TYPE% == HPMPI (
    IF %LSDYNA LOCAL HOST% == TRUE (
      %MPIRUN% -prot -np %LSDYNA JOB CPUS% %LSDYNA VERSION% %LSDYNA CL ARGS%
      GOTO :DONE
    IF %LSDYNA NODE FILE% == TRUE (
      %MPIRUN% -prot -cache -np %LSDYNA JOB CPUS% -hostfile %NODE FILE% -e
LSTC LICENSE SERVER=%LSTC LICENSE SERVER% -e LSTC LICENSE=%LSTC LICENSE%
%LSDYNA VERSION% %LSDYNA CL_ARGS%
      GOTO :DONE
    IF %LSDYNA NODE LIST% == TRUE (
      %MPIRUN% -prot -cache -np %LSDYNA JOB CPUS% -hostlist %NODE LIST% -e
LSTC LICENSE SERVER=%LSTC LICENSE SERVER% -e LSTC LICENSE=%LSTC LICENSE%
%LSDYNA VERSION% %LSDYNA CL ARGS%
      GOTO :DONE
    )
 )
 REM
REM INTEL-MPI using local machine
REM
   IF %LSDYNA MPI TYPE% == IMPI (
    IF LSDYNA LOCAL HOST == TRUE (
     %MPIRUN% -n %LSDYNA_JOB_CPUS% -wdir %LSDYNA_JOB_DIR% -localonly
%LSDYNA VERSION% %LSDYNA_CL_ARGS%
      GOTO :DONE
    )
    IF %LSDYNA NODE FILE% == TRUE (
      %MPIRUN% -n %LSDYNA JOB CPUS% -machinefile %NODE FILE% -wdir
%LSDYNA JOB DIR% -mapall -genv LSTC LICENSE SERVER %LSTC LICENSE SERVER% -genv
LSTC LICENSE %LSTC LICENSE% %LSDYNA VERSION% %LSDYNA CL ARGS%
      GOTO :DONE
    IF %LSDYNA NODE LIST% == TRUE (
      %MPIRUN% -hosts %NODE LIST% -wdir %LSDYNA JOB DIR% -mapall -genv
LSTC LICENSE SERVER %LSTC LICENSE SERVER% -genv LSTC LICENSE %LSTC LICENSE%
%LSDYNA VERSION% %LSDYNA CL ARGS%
```

```
GOTO :DONE
    )
  )
REM
REM MPICH2
REM
   IF %LSDYNA MPI TYPE% == MPICH2 (
    IF %LSDYNA LOCAL HOST% == TRUE (
      %MPIRUN% -n %LSDYNA JOB CPUS% -wdir %LSDYNA JOB DIR% -localonly
%LSDYNA VERSION% %LSDYNA CL ARGS%
      GOTO :DONE
    )
     IF %LSDYNA NODE FILE% == TRUE (
      %MPIRUN% -n %LSDYNA JOB CPUS% -machinefile %NODE FILE% -wdir
%LSDYNA JOB DIR% -mapall -genv LSTC LICENSE SERVER %LSTC LICENSE SERVER% -genv
LSTC_LICENSE %LSTC_LICENSE %%LSDYNA_VERSION %%LSDYNA_CL_ARGS%
      GOTO :DONE
    IF %LSDYNA NODE LIST% == TRUE (
      %MPIRUN% -hosts %NODE LIST% -wdir %LSDYNA JOB DIR% -mapall -genv
LSTC LICENSE SERVER %LSTC LICENSE SERVER% -genv LSTC LICENSE %LSTC LICENSE%
%LSDYNA VERSION% %LSDYNA CL ARGS%
      GOTO :DONE
    )
REM
REM
 : DONE
```

2.5.4 Post Processing options

When a LS-DYNA job is submitted using the Shell automatic post processing options for Reporter and T/HIS can be selected. This section of the batch file contains any commands required to carry out the selected post processing options.

```
#
# PRIMER 'ztf' file creation
#
/data/dynall/linux_executables/primerl1.exe -d=batch
-ztf=/local/test/shell_test.key > \
shell_test.ztf_log
#
# T/HIS batch processing
#
setenv MENU_AUTO_CONFIRM true
/data/dynal0/linux_executables/thisl1.exe -d=x -tcf=shell_test.tcf -maximise
shell_test.thf
```

2.6 Creating an "oasys_queue" file

This file lists alternative batch queues and queue directives. It only needs to be created for systems on which jobs can be submitted to a NQS style queue.

The file is in xml format, with tags to define data blocks. It contains three distinct blocks, defining queue directives which are written for: specific queues; specific queue and cpu combinations and; all queues. There can be no blank lines in data blocks.

The first block defines the queue names, their cpu limit and any queue directives specific to the queue. This block is required.

<queue_names>

</queue_names>

Where:

<queue_names> and </queue_names>	are tags to indicate the start and end of the block of data
<name1> and </name1>	are the names of the queues and tags to indicate the start and end of the data for that queue (up to 20 can be defined)
cpu_limit	is the cpu limit for the queue (in seconds) or "pipe" or "none"
command	is an optional queue directive specific for the queue (up to 20 for each queue can be defined)

```
<queue_commands>
```

```
<name1>
         <1>
             display_string="1 CPU x 1 Node"
             command="#PBS -l nodes=1:ppn=1:name1
         </1>
         <2>
             display_string="2 CPU x 1 Node"
             command="#PBS -l nodes=1:ppn=2:name1
         </2>
         <2>
             display_string="1 CPU x 2 Node"
             command="#PBS -l nodes=2:ppn=1:name1
         </2>
</name1>
<name2>
         <4>
             mpp_only
             display_string="2 CPU x 2 Node"
             command="#PBS -1 nodes=2:ppn=2:name2
         </4>
</name2>
<name3>
         <1>
             display_string="1 CPU x 1 Node"
             command="#PBS -1 nodes=1:ppn=1:name3
         </1>
</name3>
```

</queue_commands>

Where:

are tags to indicate the start and end of the block of data
are the names of the queues and tags to indicate the start and end of the data for that queue (note that they must be the same as the names defined in the first block)
are the number of cpus and tags to indicate the start and end of the data for that number of cpus
if this is included then the option will only be available if an MPP version of Dyna is selected
is the text that is displayed to the user in the popup menu on the Shell (see Section $1.2.4.7$)
is a queue directive specific to the queue and number of cpus (up to 20 can be defined for the queue and cpu combination)

Up to 100 queue and cpu combinations can be defined. If this block is not included in the file then the queue options popup will be greyed out and the default directives produced by the Shell will be used.

The third block defines queue directives that apply to all queues. This block is optional.

<all queue commands>

command="#PBS -m abe"

</all_queue_commands>

Where:

<all_queue_commands> and </all_queue_commands> are tags to indicate the start and end of the block of data command is a queue directive (up to 20 can be defined)

Example :

<queue_names>

<dyna> cpu_limit="none" </dyna> <fast> cpu_limit="3600" </fast>

</queue_names>

\$

<queue commands>

<dyna>

```
<1>
     display_string="1 CPU x 1 Node"
     command="#PBS -1
     nodes=1:ppn=1:dyna"
</1>
<2>
     display string="2 CPU x 1 Node"
     command="#PBS -1
     nodes=1:ppn=2:dyna"
</2>
<2>
     mpp_only
     display string="1 CPU x 2
     Nodes"
     command="#PBS -1
     nodes=1:ppn=2:dyna"
</2>
<4>
     mpp_only
     display_string="2 CPU x 2
     Nodes"
     command="#PBS -1
     nodes=2:ppn=2:dyna"
</4>
<4>
     display string="4 CPU x 1 Node"
     command="#PBS -1
     nodes=1:ppn=4:dyna"
</4>
```

<4>

```
Shell
```

```
mpp_only
                                                 display_string="1 CPU x 4
                                                 Nodes"
                                                 command="#PBS -1
                                                 nodes=4:ppn=1:dyna"
                                            </4>
                       </dyna>
                       <fast>
                                            <2>
                                                 display string="2 CPU x 1 Node"
                                                 command="#PBS -1
                                                 nodes=1:ppn=2:dyna"
                                            </2>
                                            <2>
                                                 mpp only
                                                 display string="1 CPU x 2
                                                 Nodes"
                                                 command="#PBS -1
                                                 nodes=1:ppn=2:dyna"
                                            </2>
                       </fast>
</queue_commands>
<all queue commands>
```

command="#PBS -m abe"

```
</all_queue_commands>
```

```
$
```

\$

2.7 Adding items to the "Utilities" menu

The "Utilities" menu within the Xshell may be customised to contain upto 20 items. The contents of this menu is controlled by a file called "oasys_utilities" that is located in the directory containing the version 17 executables. The format of this file is:

<Menu Name> <Program> <Xterm>

Where:

Menu Name: Name to be given to the program in the menu. Action: The name of the program to execute. Xterm: Does the program require an xterm window define as YES or NO

3 Additional Windows Setup

3.1 Setting File Associations

Under windows on PC it is possible to set up file associations so that double clicking on files automatically loades the file into the associated program. As part of the PC installation the following file associations will be set up automatically


File Extension	Program
.ptf	D3PLOT 17
.ctf	D3PLOT 17
.rlf	D3PLOT 17
.dsf	D3PLOT 17
.thf	T/HIS 17
.xtf	T/HIS 17
.tsf	T/HIS 17
.key	PRIMER 17
.dyn	PRIMER 17
.kby	PRIMER 17
.orr	REPORTER 17
.ort	REPORTER 17
.orp	REPORTER 17

Sections 3.1.1 to 3.1.3 describe in detail how these file associations can be manually set up if required.

3.1.1 To make .ptf files open in D3PLOT by double-clicking on them

If no application is currently associated with .ptf files, a "double-click" won't work, and some non-specific, usually "windows", icon will be displayed with the file.

Right click on any **.ptf** file, and select **properties** then press the Change... tab next to Opens with: from the popup menu.



- This will bring up the **"Open with"** panel. Ensure the **Always use...** box is ticked 1.
- 2.
- 3. Use the directory browsing window to find the correct D3PLOT executable. You are looking for file d3plot11.exe or d3plot11_x64.exe.
- 4. Select the executable and click on **OK** to close the "Open With" window.

D3PLOT should now open and read in the selected file and you should now find that:

- 1.
- All **.ptf** files on your system show the D3PLOT icon. Double-clicking on any such file starts D3PLOT and opens that file. 2.

It is not possible to set up the filename "d3plot" for double-clicking in this way since Windows requires filename extensions when assigning applications to files.)

The procedure is exactly the same as for D3PLOT, and must be carried out for each of the file types that you wish to process by double-clicking:

.thf: LS-DYNA Time History file .xtf: LS-DYNA Extra Time History file .cur: T/HIS Curve file

.bdf: T/HIS Bulk Data file

The only difference is:

1. The application to use should be this11.exe or this11_x64.exe.

Note that:

1. File types .thf and .xtf are opened in this way, but no contents are read in.

2. File types .cur and .bdf are opened and their complete contents read in.

LS-DYNA default filenames "d3thdt" and "xtfile" cannot be set up for double-click access in this way because Windows requires filenames to have extensions when assigning applications to them.

3.1.3 To make .key files open in PRIMER by double-clicking on them

The procedure is exactly the same as for D3PLOT, and must be carried out for each of the file types that you wish to process by double-clicking:

.key: LS-DYNA Keyword Input File

The only difference is:

1. The application to use should be **primer11.exe**.

4 Preferences

The Preferences editor provides a graphical interface for viewing, checking and editing your user preferences stored in your <u>oa_pref</u> file

4.1 The oa_pref file

This file contains code-specific preferences that can be used to modify the behaviour of the software suite. It is optional and, where entries (or the whole file) are omitted, programs will revert to their default settings.

4.1.1 "oa_pref" naming convention and locations

The file is called "oa_pref".

It is looked for in the following places in the order given:

- The optional administration directory defined by the environmental variable (\$OA_ADMIN or \$OA ADMIN xx where xx is the release number).
- The site-wide installation directory defined by the environment variable (\$OA_INSTALL)
- The user's home directory: **\$HOME** (Linux) or **\$USERPROFILE**% (Windows)
- The current working directory

See Installation organisation for an explanation of the directory structure.

All four files are read (if they exist) and the last preference read will be the one used, so the file can be customised for a particular job or user at will.

Files do not have to exist in any of these locations, and if none exists the programme defaults will be used.

On Linux:

\$HOME on Linux is usually the home directory specified for each user in the system password file. The shell command "**printenv**" (or on some systems "**setenv**") will show the value of this variable if set. If not set then it is defined as the "~" directory for the user. The command "**cd**; **pwd**" will show this.

On Windows:

%USERPROFILE% on Windows is usually C:\Documents and Settings\<user id>\ Issuing the "set" command from an MS-DOS prompt will show the value of this and other variables.

Generally speaking you should put

- Organisation-wide options in the version in \$OA_ADMIN_xx and/or \$OA_INSTALL,
- User-specific options in \$HOME / %USERPROFILE%
- Project-specific options in the current working directory.

The file contains preferences for the SHELL (lines commencing shell*), THIS (lines commencing this*), D3PLOT (lines commencing d3plot*), PRIMER (lines commencing primer*) and REPORTER (lines commencing reporter*). All lines take the format reference name>reference value>.

The general copy of the preference file should be present in the <u>\$OA_ADMIN_xx</u> and/or <u>\$OA_INSTALL</u> directory. This should contain the preferences most suitable for all software users on the system.

An individual's specific preferences file can be stored in the individual's home area. This can be used to personally customise the software to the individual's needs.

Whenever one of the programs whose preferences can be stored in the oa_pref file is fired up, the program will take preferences first from the general preference file in the <u>\$OA_ADMIN_xx</u> directory (if it exists) then the <u>\$OA_INSTALL</u> directory, then from the file in the user's home area, then from the current working directory.

Preferences defined in the general oa_pref file can be modified in the user's personal file but they can't be removed by it.

From version 9.4 onwards preferences can be locked. If a preference is locked it cannot be changed in an oa_pref file in a more junior directory. To lock a preference use the syntax 'shell#' rather than 'shell*'.

An example of the file is shown below to illustrate the content of the file

```
# Preferences file for software.
#
# Preferences for SHELL
```


```
shell*queue_cpu: 0
#
# Preferences for THIS
this*laser_paper_size: A4
#
# Preferences for D3PLOT
d3plot*overlay_colour: grey
#
# Preferences for PRIMER
primer*overlay_mode off
```

4.2 The preferences editor

The editor can be accessed from within the Shell or from within D3PLOT, T/HIS, PRIMER and REPORTER.

4.2.1 The preferences editor layout

The preferences editor window is divided into two frames with a menu bar across the top.



4.2.1.1 Menu Bar

File options:

Save preferences: Save current preference settings. This will save the
personal oa_pref file in the user's home directory. Only those preferences
which differ from the preferences saved in the general oa_pref file will be
saved.

Exit: Exit the preferences editor without saving.

Edit		
Save		
Save as		
Exit		

Edit options:

Edit Check Preferences: Checks the current preferences for any errors. These errors will be listed in a seperate window detailing the preferences with the errors and the nature of those errors Expand all branches: Expands the categories in the Left hand frame. Collapse all branches: Collapses the categories in the Left hand frame Reset all: Resets all values. Reset all to OA_INSTALL values: Resets all values to the defaults stored in the main \$OA_INSTALL preference file 4.2.1.2 The preferences editor Left hand frame The left hand frame will contain the names of all preferences

available to set. Preferences will be listed under the headings: PRIMER, D3PLOT, T/HIS, REPORTER and SHELL according to which program they are applicable to.

These categories can be expanded to reveal their respective preferences/contracted to hide their preferences by clicking on the box to the left of the respective category, alternatively, use the edit drop down menu and select Expand all branches or collapse all branches.

Green	Means that the option has been read from your \$HOME/\$USERPROFILE file.
Red	Means that the option has been read from the
Keu	SOA INSTALL file.
Magant	
Magem	a Means that the option had been read from the
	\$OA_ADMIN file.

Preferences which aren't highlighted indicate preferences that haven' been set.

Preferences in **bold** type indicate preferences which haven't been assigned the default value.

A list of all the preferences available and their default value can be found in any oa_pref file written by the preferences editor.

4.2.1.3 The preferences editor Right hand frame

Check preferences
Expand all branches
Collapse all branches
Reset all
Reset all to OA_INSTALL values

File	Edit		
A B	SHELL		
	-online		
	-background		
	-batch		
	-queue		
	-default		
	-enable_job_monitoring		
•	-display_factor		
	-button_gradation		
	-xterm_start		
	-dyna_keyword_manual		
	-dyna_theory_manual		
	graphical_user_interface		
	queue_options		
	d3plot_options		
	+ primer_options		
	+ this_options		
	reporter_options		
	-system_cpu		
V	+ job_options		

The right hand frame will contain information about the currently selected preference and provides the opportunity to edit this preference.

Name: States the name of the currently selected preference. **Type**: Specifies the type of variable applicable to this preference.

Default: States the default value of the preference. **Description**: Provides a brief description of the function performed by this preference.

Active tab: Highlighted in Green when the preference has been assigned a value. Press this tab to activate/deactivate the currently selected preference. If the currently selected preference was defined in the general oa_pref file, deselecting this will bring up an error message as it is not possible to deselect preferences stored in the general oa_pref file.

Value: States the currently selected value for the preference. Clicking on the arrow to the left of this box brings up a drop-down menu which lists the possible values this preference can take and allows the user to select one of these values.

4.2.1.4 Locking Preferences

From version 9.4 onwards preferences can be locked. Beside each option in the preference editor is a padlock symbol. If the symbol is green then the option is unlocked, if it is red then it is locked. If a preference option has been locked in a file that the user can not modify then an error message will be generated if the user tries to edit that option.

If a user manually edits the "oa_pref" file to try and set an option that has been locked in another preference file then the option will be ignored in the users preference file.

Name:	shell*online	
Type: o	<logical></logical>	
Default:	TRUE	
Description:	Online submission	
Active:	✓ 🖻	
Value:	TRUE 🔻	



Installation organisation

The version17installation can be customised to try and avoid a number of issues that often occur in large organisations with many users.

• Large organisations generally imply large networks, and it is often the case that the performance of these networks can be intermittent or poor, therefore it is common practice to perform an installation of the software on the local disk of each machine, rather then having a single installation on a remote disk.

This avoids the pauses and glitches that can occur when running executable files over a network, but it also means that all the configuration files in, or depending upon, the top level "Admin" directory have to be copied to all machines and, more to the point, any changes or additions to such files also have to be copied to all machines.

• In larger organisations the "one person per computer" philosophy may not apply, with the consequence that users will tend to have a floating home area on a network drive and may not use the same machine every day.

This is not usually a problem on Linux where the "home" directory is tied to the login name not the machine. However on Windows platforms it means that %USERPROFILE%, which is typically on the local C drive of a machine, is not a good place to consider as "home" since it will be tied to a given computer, therefore a user who saves a file in his home directory on machine A may not be able to access it from machine B.

• In a similar vein placing large temporary files on the /tmp partition (Linux) or the C: drive (Windows) may result in local disks becoming too full, or quotas exceeded.

This section gives only a brief summary of the installation organisation, and you should refer to the separate Installation Guide if you want to find out more about the details of installation, licensing, and other related issues.

Version17.0 Installation structure

In version17.0 the option is provided to separate a top-level 'administration' directory from the 'installation' one where the executables are located.

For large installations on many machines this allows central configuration and administration files to exist in one place only, but executables to be installed locally on users' machines to give better performance. Version17.0 also allows the following items to be configured

- The location for user manuals and other documentation.
- The definition of a user's home directory.
- The definition of the temporary directory for scratch files.

In addition parsing of the 'oa_pref' (preferences) file will now handle environment variables, so that a generic preference can be configured to give a user-specific result, and preferences may be 'locked' so that those set at the administration level cannot be changed by users.

These changes are entirely optional, and users performing a simple installation on a single machine do not need to make any changes to their existing installation practice.

Directory	Status	Directory Content and purpose	oa_pref file option
OA_ADMIN_xx	Optional	Top level configuration files. (xx =17for release17.0, thus OA_ADMIN_17) Admin level oa_pref file Other configuration files Timeout configuration file	

OA_ADMIN	Optional	Same as OA_ADMIN_17 , provided for backwards compatibility with earlier releases. It is recommended that plain OA_ADMIN , without the <u>xx</u> version suffix, is not used since otherwise there is no easy way of distinguishing between parallel installations of different releases of the Oasys Ltd software in an installation. If OA_ADMIN_17 is not defined then this non-release specific version is checked.	
OA_INSTALL_xx	Optional	(xx =17for release17.0, thus OA_ADMIN_17 All executables Installation level oa_pref file	oasys*install_dir: <pathname></pathname>
OA_INSTALL	Optional	Same as OA_INSTALL_17. If no "OA ADMIN_xx" directory is used and all software is simply placed in this "install" directory, which would be typical of a single-user installation, then it is recommended that the _xx version suffix is used in order to keep parallel installations of different releases of the Oasts Ltd software separate on the machine. If OA_INSTALL_17 is not defined then this non-release specific version is checked	oasys*install_dir: <pathname></pathname>
OA_MANUALS	Optional	Specific directory for user manuals. If not defined then will search in: OA_ADMIN_xx/manuals (xx = major vers number) OA_INSTALL/manuals	oasys*manuals_dir: <pathname> ion</pathname>
OA_HOME	Optional	Specific "home" directory for user when using Oasys Ltd software. If not defined will use: \$HOME (Linux) \$USERPROFILE\$ (Windows)	oasys*home_dir: <pathname></pathname>
OA_TEMP	Optional	Specific "temporary" directory for user when using Oasys Ltd software. If not defined will use: P_tmpdir (Linux, typica %TEMP% (Windows, typically C:\temp)	oasys*temp_dir: <i><pathname></pathname></i> llly /tmp)

It will be clear from the table above that no Environment variables have to be set, and that all defaults will revert to pre-9.4 behaviour. In other words users wishing to keep the status quo will find behaviour and layout unchanged if they do nothing.

OA INSTALL XX


Previously the software used the **OA_INSTALL** (renamed from **OASYS**) environment variable to locate the directory the software was installed in.

- On Windows this is no longer required as the software can work out its own installation directory. As this environment variable is no longer required it is recommended that it is removed from machines it is currently set on as in some cases where more than one version has been installed in different directories it can cause problems.
- On LINUX systems the "oasys_17" script that starts the SHELL automatically sets this Environment Variable and passes it to any application started from the SHELL. If you run applications directly from the command line and bypass the SHELL then you should set **OA_INSTALL_XX** so that the software can locate manuals and other required files.

OA_ADMIN_XX

Users wishing to separate configuration and installation directories will be able to do so by making use of the new top level **OA_ADMIN_xx** directory.

Installation Examples



Dynamic configuration using the top level oa_pref file.

A further improvement is that all environment variables below **OA_ADMIN_xx** may either be set explicitly, or dynamically using the options in the oa_pref file at the top **OA_ADMIN_xx** level. This permits parallel installations of different versions of the software to co-exist, with only the top level administration directory names being distinct. For example:

Release17.0	Release17.1	
Top level directory OA_ADMIN_17	Top level directory OA_ADMIN_171	
oa_pref file in OA_ADMIN_17 contains:	oa_pref file in OA_ADMIN_171 contains:	
oasys*install_dir: <pathname 17.0<="" for="" td="">installation>oasys*manuals_dir:<pathname 17.0<="" for="" td="">manuals></pathname></pathname>	<pre>oasys*install_dir: <pathname 17.1="" for="" installation=""> oasys*manuals_dir: <pathname 17.1="" for="" manuals=""></pathname></pathname></pre>	
<pre>oasys*home_dir: <pathname directory="" for="" home=""> oasys*temp_dir: <pathname files="" for="" temporary=""></pathname></pathname></pre>	<pre>} would almost certainly be unchanged between major } versions, although they could be different if desired</pre>	

Pathnames in the oa_pref file may contain environment variables which will be resolved before being applied.

The hierarchy of oa_pref file reading

It will be clear from the above that in a large installation the "oa_pref" files have a significant role. Each piece of software reads them in the following order:

OA_ADMIN_xx	Top level configuration
OA_INSTALL_xx	Installation level
OA_HOME	User's personal "home" file
Current working directory	File specific to the current directory (rarely used)

The rules for reading these files are:

- If a given directory does not exist, or no file is found in that directory, then no action is taken. This is not an error.
- A more recently read definition supersedes one read earlier, therefore "local" definitions can supersede "global" ones (unless it was locked).
- If two of more of the directories in the table above are the same then that file is only read once from the first instance.

Locking Preference Options

From version 9.4 onwards preference options can be locked. If a preference option is locked in a file then that preference option will be ignored in any of the subsequent preference files that are read.

Therefore by locking a preference in a top-level file in the hierarchy above, eg in **OA_ADMIN_xx**, and then protecting that file to be read-only, an administrator can set preferences that cannot be altered by users since any definitions of that preference in their private oa_pref files will be ignored.

Preferences are locked by using a hash (#) rather than an asterisk (*) between the code name and the preference string. For example:

primer*maximise: true

primer#maximise: true	Locked case using "#"
-----------------------	-----------------------

These changes may be made either by editing the file manually, or by using the preferences editor.

Licences used in software

The Oasys LS-DYNA environment Ltd software uses several third party libraries and executables. The licences for them are given below

Apple Public Source

Copyright (c) 1999 Apple Computer, Inc. All rights reserved. The contents of this file constitute Original Code as defined in and are subject to the Apple Public Source License Version 1.1 (the "License"). You may not use this file except in compliance with the License. Please obtain a copy of the License at http://www.apple.com/publicsource and read it before using this file.

This Original Code and all software distributed under the License are distributed on an "AS IS" basis, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, AND APPLE HEREBY DISCLAIMS ALL SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, ANY WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. Please see the License for the specific language governing rights and limitations under the License.

Copyright (c) 1992 NeXT Computer, Inc. All rights reserved. *Note*: the URL http://www.apple.com/publicsource cited above no longer exists, see instead

Expat

Copyright (c) 1998, 1999, 2000 Thai Open Source Software Center Ltd and Clark Cooper

Copyright (c) 2001, 2002, 2003, 2004, 2005, 2006 Expat maintainers. Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software. THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE

FreeType

Portions of this software are copyright © The FreeType Project (<u>www.freetype.org</u>). All rights reserved. The FreeType Project LICENSE

2006-Jan-27 Copyright 1996-2002, 2006 by David Turner, Robert Wilhelm, and Werner Lemberg Introduction ======== The FreeType Project is distributed in several archive packages; some of them may contain, in addition to the FreeType font engine, various tools and contributions which rely on, or relate to, the FreeType Project. This license applies to all files found in such packages, and which do not fall under their own explicit license. The license affects thus the FreeType font engine, the test programs, documentation and makefiles, at the very least.

This license was inspired by the BSD, Artistic, and IJG (Independent JPEG Group) licenses, which all encourage inclusion and use of free software in commercial and freeware products alike. As a consequence, its main points are that: o We don't promise that this software works. However, we will be interested in any kind of bug reports. ('as is' distribution) o You can use this software for whatever you want, in parts or full form, without having to pay us. ('royalty-free' usage) o You may not pretend that you wrote this software. If you use it, or only parts of it, in a program, you must acknowledge somewhere in your documentation that you have used the FreeType code. ('credits') encourage the inclusion of specifically permit and We this software, with or without modifications, in commercial products. We disclaim all warranties covering The FreeType Project and assume no liability related to The FreeType Project. Finally, many people asked us for a preferred form for a credit/disclaimer to use in compliance with this license. We thus encourage you to use the following text: Portions of this software are copyright © <year> The FreeType Project (www.freetype.org). All rights reserved. Please replace <year> with the value from the FreeType version you actually use. Legal Terms =========== 0. Definitions Throughout this license, the terms 'package', 'FreeType Project', and 'FreeType archive' refer to the set of files originally distributed by the authors (David Turner, Robert Wilhelm, and Werner Lemberg) as the 'FreeType Project', be they named as alpha, beta or final release. 'You' refers to the licensee, or person using the project, where 'using' is a generic term including compiling the project's source code as well as linking it to form a 'program' or 'executable'. This program is referred to as 'a program using the FreeType engine'. This license applies to all files distributed in the original FreeType Project, including all source code, binaries and documentation, unless otherwise stated in the file in its original, unmodified form as distributed in the original archive. If you are unsure whether or not a particular file is covered by this license, you must contact us to verify this. The FreeType Project is copyright (C) 1996-2000 by David Turner, Robert Wilhelm, and Werner Lemberg. All rights reserved except as specified below. 1. No Warranty THE FREETYPE PROJECT IS PROVIDED 'AS IS' WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. IN NO EVENT WILL ANY OF THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY DAMAGES CAUSED BY THE USE OR THE INABILITY TO USE, OF THE FREETYPE PROJECT. 2. Redistribution This license grants a worldwide, royalty-free, perpetual and irrevocable right and license to use, execute, perform, compile, display, copy, create derivative works of, distribute and sublicense the FreeType Project (in both source and object code forms) and derivative works thereof for any purpose; and to authorize others to exercise some or all of the rights granted herein, subject to the following conditions:

o Redistribution of source code must retain this license file ('FTL.TXT') unaltered; any additions, deletions or changes to the original files must be clearly indicated in accompanying documentation. The copyright notices of the unaltered, original files must be preserved in all copies of source files.

- o Redistribution in binary form must provide a disclaimer that states that the software is based in part of the work of the FreeType Team, in the distribution documentation. We also encourage you to put an URL to the FreeType web page in your documentation, though this isn't mandatory. These conditions apply to any software derived from or based on the FreeType Project, not just the unmodified files. If you use our work, you must acknowledge us. However, no fee need be paid to us. 3. Advertising Neither the FreeType authors and contributors nor you shall use the name of the other for commercial, advertising, or promotional purposes without specific prior written permission. We suggest, but do not require, that you use one or more of the following phrases to refer to this software in your documentation or advertising materials: 'FreeType Project', 'FreeType Engine', 'FreeType library', or 'FreeType Distribution'. As you have not signed this license, you are not required to accept it. However, as the FreeType Project is copyrighted material, only this license, or another one contracted with the authors, grants you the right to use, distribute, and modify it. Therefore, by using, distributing, or modifying the FreeType Project, you indicate that you understand and accept all the terms of this license. 4. Contacts _ _ _ _ _ _ _ _ There are two mailing lists related to FreeType: o freetype@nongnu.org Discusses general use and applications of FreeType, as well as future and wanted additions to the library and distribution. If you are looking for support, start in this list if you haven't found anything to help you in the documentation. o freetype-devel@nongnu.org Discusses bugs, as well as engine internals, design issues, specific licenses, porting, etc. Our home page can be found at
- http://www.freetype.org

--- end of FTL.TXT ---

FFmpeg

FFmpeg is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2.1 of the License, or (at your option) any later version.

FFmpeg is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public License along with FFmpeg; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Jpeg

The authors make NO WARRANTY or representation, either express or implied, with respect to this software, its quality, accuracy, merchantability, or fitness for a particular purpose. This software is provided "AS IS", and you, its user, assume the entire risk as to its quality and accuracy. This software is copyright (C) 1991-2012, Thomas G. Lane, Guido Vollbeding. All Rights Reserved except as specified below. Permission is hereby granted to use, copy, modify, and distribute this software (or portions thereof) for any purpose, without fee, subject to these conditions: (1) If any part of the source code for this software is distributed, then this README file must be included, with this copyright and no-warranty notice

unaltered; and any additions, deletions, or changes to the original files

must be clearly indicated in accompanying documentation.

(2) If only executable code is distributed, then the accompanying documentation must state that "this software is based in part on the work of the Independent JPEG Group".

(3) Permission for use of this software is granted only if the user accepts full responsibility for any undesirable consequences; the authors accept NO LIABILITY for damages of any kind.

These conditions apply to any software derived from or based on the IJG code, not just to the unmodified library. If you use our work, you ought to acknowledge us.

Permission is NOT granted for the use of any IJG author's name or company name in advertising or publicity relating to this software or products derived from it. This software may be referred to only as "the Independent JPEG Group's software".

We specifically permit and encourage the use of this software as the basis of commercial products, provided that all warranty or liability claims are assumed by the product vendor.

Libcurl

COPYRIGHT AND PERMISSION NOTICE

Copyright (c) 1996 - 2012, Daniel Stenberg, <daniel@haxx.se>. All rights reserved.

Permission to use, copy, modify, and distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies. THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,

FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Software without prior written authorization of the copyright holder.

Libfame

libfame - Fast Assembly MPEG Encoder Library Copyright (C) 2000-2001 Vivien Chappelier This library is free software; you can redistribute it and/or modify it under the terms of the GNU Library General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version. This library is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Library General Public License for more details. You should have received a copy of the GNU Library General Public License along with this library; if not, write to the Free Software Foundation, Inc., 675 Mass Ave, Cambridge, MA 02139, USA.

Libgif

The GIFLIB distribution is Copyright (c) 1997 Eric S. Raymond Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions: The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software. THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Libpng

This copy of the libpng notices is provided for your convenience. In case of any discrepancy between this copy and the notices in the file png.h that is included in the libpng distribution, the latter shall prevail. COPYRIGHT NOTICE, DISCLAIMER, and LICENSE: If you modify libpng you may insert additional notices immediately following this sentence. This code is released under the libpng license. libpng versions 1.2.6, August 15, 2004, through 1.5.11, June 14, 2012, are Copyright (c) 2004, 2006-2012 Glenn Randers-Pehrson, and are distributed according to the same disclaimer and license as libpng-1.2.5 with the following individual added to the list of Contributing Authors Cosmin Truta libpng versions 1.0.7, July 1, 2000, through 1.2.5 - October 3, 2002, are Copyright (c) 2000-2002 Glenn Randers-Pehrson, and are distributed according to the same disclaimer and license as libpng-1.0.6 with the following individuals added to the list of Contributing Authors Simon-Pierre Cadieux Eric S. Raymond Gilles Vollant and with the following additions to the disclaimer: There is no warranty against interference with your enjoyment of the library or against infringement. There is no warranty that our efforts or the library will fulfill any of your particular purposes or needs. This library is provided with all faults, and the entire risk of satisfactory quality, performance, accuracy, and effort is with the user. libpng versions 0.97, January 1998, through 1.0.6, March 20, 2000, are Copyright (c) 1998, 1999 Glenn Randers-Pehrson, and are distributed according to the same disclaimer and license as libpng-0.96, with the following individuals added to the list of Contributing Authors: Tom Lane Glenn Randers-Pehrson Willem van Schaik libpng versions 0.89, June 1996, through 0.96, May 1997, are Copyright (c) 1996, 1997 Andreas Dilger Distributed according to the same disclaimer and license as libpng-0.88, with the following individuals added to the list of Contributing Authors: John Bowler Kevin Bracey Sam Bushell Magnus Holmgren Greg Roelofs Tom Tanner libpng versions 0.5, May 1995, through 0.88, January 1996, are Copyright (c) 1995, 1996 Guy Eric Schalnat, Group 42, Inc. For the purposes of this copyright and license, "Contributing Authors" is defined as the following set of individuals: Andreas Dilger Dave Martindale Guy Eric Schalnat Paul Schmidt Tim Wegner The PNG Reference Library is supplied "AS IS". The Contributing Authors and Group 42, Inc. disclaim all warranties, expressed or implied, including, without limitation, the warranties of merchantability and of fitness for any purpose. The Contributing Authors and Group 42, Inc. assume no liability for direct, indirect, incidental, special, exemplary, or consequential damages, which may result from the use of the PNG Reference Library, even if advised of the possibility of such damage. Permission is hereby granted to use, copy, modify, and distribute this source code, or portions hereof, for any purpose, without fee, subject to the following restrictions: 1. The origin of this source code must not be misrepresented. 2. Altered versions must be plainly marked as such and must not be misrepresented as being the original source.

3. This Copyright notice may not be removed or altered from any source or altered source distribution. The Contributing Authors and Group 42, Inc. specifically permit, without fee, and encourage the use of this source code as a component to supporting the PNG file format in commercial products. If you use this source code in a product, acknowledgment is not required but would be appreciated. A "png_get_copyright" function is available, for convenient use in "about" boxes and the like: printf("%s",png_get_copyright(NULL)); Also, the PNG logo (in PNG format, of course) is supplied in the files "pngbar.png" and "pngbar.jpg (88x31) and "pngnow.png" (98x31). Libpng is OSI Certified Open Source Software. OSI Certified Open Source is a certification mark of the Open Source Initiative. Glenn Randers-Pehrson glennrp at users.sourceforge.net June 14, 2012

Libxlsxwriter

Libxlsxwriter is released under a FreeBSD license: Copyright 2014-2016, John McNamara All rights reserved. Redistribution and use in source and binary forms, with or without

modification, are permitted provided that the following conditions are met:

- 1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- 2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution. THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE. The views and conclusions contained in the software and documentation are those of the authors and should not be interpreted as representing official policies, either expressed or implied, of the FreeBSD Project. Libxlsxwriter includes 'queue.h' from FreeBSD and the 'minizip' component of 'zlib' which have the following licenses:

Queue.h from FreeBSD:

Copyright (c) 1991, 1993

The Regents of the University of California. All rights reserved. Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

- 2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- 4. Neither the name of the University nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE REGENTS AND CONTRIBUTORS `AS IS' AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE. Zlib has the following License/Copyright:

(C) 1995-2013 Jean-loup Gailly and Mark Adler This software is provided 'as-is', without any express or implied warranty. In no event will the authors be held liable for any damages arising from the use of this software. Permission is granted to anyone to use this software for any purpose, including commercial applications, and to alter it and redistribute it freely, subject to the following restrictions:
1. The origin of this software must not be misrepresented; you must not claim that you wrote the original software. If you use this software in a product, an acknowledgment in the product documentation would be appreciated but is not required.
2. Altered source versions must be plainly marked as such, and must not be misrepresented as being the original software.
3. This notice may not be removed or altered from any source distribution.

3. This notice may not be removed or altered from any source distribution Jean-loup Gailly Mark Adler jloup@gzip.org madler@alumni.caltech.edu

```
Openssl
```

LICENSE ISSUES _____ The OpenSSL toolkit stays under a double license, i.e. both the conditions of the OpenSSL License and the original SSLeay license apply to the toolkit. See below for the actual license texts. OpenSSL License _____ /* _____ * Copyright (c) 1998-2017 The OpenSSL Project. All rights reserved. * Redistribution and use in source and binary forms, with or without * modification, are permitted provided that the following conditions * are met: * 1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer. * * 2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution. * * 3. All advertising materials mentioning features or use of this * software must display the following acknowledgment: "This product includes software developed by the OpenSSL Project for use in the OpenSSL Toolkit. (http://www.openssl.org/)" 4. The names "OpenSSL Toolkit" and "OpenSSL Project" must not be used to * endorse or promote products derived from this software without prior written permission. For written permission, please contact openssl-core@openssl.org. 5. Products derived from this software may not be called "OpenSSL" * nor may "OpenSSL" appear in their names without prior written permission of the OpenSSL Project. * 6. Redistributions of any form whatsoever must retain the following acknowledgment: "This product includes software developed by the OpenSSL Project for use in the OpenSSL Toolkit (http://www.openssl.org/)" * THIS SOFTWARE IS PROVIDED BY THE OpenSSL PROJECT '`AS IS'' AND ANY * EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE * IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR * PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE OpenSSL PROJECT OR * ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, * SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT * NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;

```
* LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
 * ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
 * _____
* This product includes cryptographic software written by Eric Young
 * (eay@cryptsoft.com). This product includes software written by Tim
* Hudson (tjh@cryptsoft.com).
*/
Original SSLeay License
/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)
* All rights reserved.
 * This package is an SSL implementation written
* by Eric Young (eay@cryptsoft.com).
 * The implementation was written so as to conform with Netscapes SSL.
* This library is free for commercial and non-commercial use as long as
 * the following conditions are aheared to. The following conditions
* apply to all code found in this distribution, be it the RC4, RSA,
* lhash, DES, etc., code; not just the SSL code. The SSL documentation
* included with this distribution is covered by the same copyright terms
 * except that the holder is Tim Hudson (tjh@cryptsoft.com).
* Copyright remains Eric Young's, and as such any Copyright notices in
* the code are not to be removed.
* If this package is used in a product, Eric Young should be given attribution
 * as the author of the parts of the library used.
* This can be in the form of a textual message at program startup or
* in documentation (online or textual) provided with the package.
* Redistribution and use in source and binary forms, with or without
 * modification, are permitted provided that the following conditions
* are met:
* 1. Redistributions of source code must retain the copyright
     notice, this list of conditions and the following disclaimer.
 *
* 2. Redistributions in binary form must reproduce the above copyright
     notice, this list of conditions and the following disclaimer in the
     documentation and/or other materials provided with the distribution.
  3. All advertising materials mentioning features or use of this software
*
     must display the following acknowledgement:
      "This product includes cryptographic software written by
      Eric Young (eay@cryptsoft.com)"
     The word 'cryptographic' can be left out if the rouines from the library
     being used are not cryptographic related :-).
  4. If you include any Windows specific code (or a derivative thereof) from
     the apps directory (application code) you must include an acknowledgement:
      "This product includes software written by Tim Hudson (tjh@cryptsoft.com)"
* THIS SOFTWARE IS PROVIDED BY ERIC YOUNG ``AS IS'' AND
 * ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
* ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR OR CONTRIBUTORS BE LIABLE
* FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
 * DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
* OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
* LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
* OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
 * SUCH DAMAGE.
* The licence and distribution terms for any publically available version or
* derivative of this code cannot be changed. i.e. this code cannot simply be
 * copied and put under another distribution licence
 * [including the GNU Public Licence.]
```

PCRE

PCRE LICENCE

PCRE is a library of functions to support regular expressions whose syntax and semantics are as close as possible to those of the Perl 5 language. Release 7 of PCRE is distributed under the terms of the "BSD" licence, as specified below. The documentation for PCRE, supplied in the "doc" directory, is distributed under the same terms as the software itself. The basic library functions are written in C and are freestanding. Also included in the distribution is a set of C++ wrapper functions. THE BASIC LIBRARY FUNCTIONS -----Written by: Philip Hazel Email local part: ph10 Email domain: cam.ac.uk University of Cambridge Computing Service, Cambridge, England. Copyright (c) 1997-2008 University of Cambridge All rights reserved. THE C++ WRAPPER FUNCTIONS Contributed by: Google Inc. Copyright (c) 2007-2008, Google Inc. All rights reserved. THE "BSD" LICENCE Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met: * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer. * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution. * Neither the name of the University of Cambridge nor the name of Google Inc. nor the names of their contributors may be used to endorse or promote products derived from this software without specific prior written permission. THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE. End

PDFHummus

Is licensed under the Apache License: Copyright 2011 Gal Kahana PDFWriter Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at <u>http://www.apache.org/licenses/LICENSE-2.0</u> Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

POV-Ray

Is licensed under the GNU AFFERO GENERAL PUBLIC LICENSE Version 3, 19 November 2007 which may be found here http://www.povray.org/povlegal.html

Oasys Ltd use the POV-Ray executable in unmodified form as a separate, stand-alone entity. We have not modified the source code or the executable in any way.

We convey the executable as part of our installation package, and in accordance with the licence:

Users who install POV-Ray must accept the licence terms cited above.
We provide a download of the POV-Ray executable and source code on our website http://www.oasys-software.com/dyna/en/

SmoothSort

Is licensed under the Creative Commons Attribution-ShareAlike 3.0 license which may be found here:

https://creativecommons.org/licenses/by-sa/3.0/legalcode

Oasys Ltd acknowledge Wikibooks as the source of this algorithm, which is used in unmodified form.

Spidermonkey

Mozilla Public License Version 2.0 _____ 1. Definitions _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ . 1.1. "Contributor" means each individual or legal entity that creates, contributes to the creation of, or owns Covered Software. 1.2. "Contributor Version" means the combination of the Contributions of others (if any) used by a Contributor and that particular Contributor's Contribution. 1.3. "Contribution" means Covered Software of a particular Contributor. 1.4. "Covered Software" means Source Code Form to which the initial Contributor has attached the notice in Exhibit A, the Executable Form of such Source Code Form, and Modifications of such Source Code Form, in each case including portions thereof. 1.5. "Incompatible With Secondary Licenses" means (a) that the initial Contributor has attached the notice described in Exhibit B to the Covered Software; or (b) that the Covered Software was made available under the terms of version 1.1 or earlier of the License, but not also under the terms of a Secondary License. 1.6. "Executable Form" means any form of the work other than Source Code Form. 1.7. "Larger Work" means a work that combines Covered Software with other material, in a separate file or files, that is not Covered Software. 1.8. "License" means this document. 1.9. "Licensable" means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently, any and all of the rights conveyed by this License. 1.10. "Modifications" means any of the following: (a) any file in Source Code Form that results from an addition to, deletion from, or modification of the contents of Covered

Software; or

(b) any new file in Source Code Form that contains any Covered Software. 1.11. "Patent Claims" of a Contributor means any patent claim(s), including without limitation, method, process, and apparatus claims, in any patent Licensable by such Contributor that would be infringed, but for the grant of the License, by the making, using, selling, offering for sale, having made, import, or transfer of either its Contributions or its Contributor Version. 1.12. "Secondary License" means either the GNU General Public License, Version 2.0, the GNU Lesser General Public License, Version 2.1, the GNU Affero General Public License, Version 3.0, or any later versions of those licenses. 1.13. "Source Code Form" means the form of the work preferred for making modifications. 1.14. "You" (or "Your") means an individual or a legal entity exercising rights under this License. For legal entities, "You" includes any entity that controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity. 2. License Grants and Conditions 2.1. Grants Each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license: (a) under intellectual property rights (other than patent or trademark) Licensable by such Contributor to use, reproduce, make available, modify, display, perform, distribute, and otherwise exploit its Contributions, either on an unmodified basis, with Modifications, or as part of a Larger Work; and (b) under Patent Claims of such Contributor to make, use, sell, offer for sale, have made, import, and otherwise transfer either its Contributions or its Contributor Version. 2.2. Effective Date The licenses granted in Section 2.1 with respect to any Contribution become effective for each Contribution on the date the Contributor first distributes such Contribution. 2.3. Limitations on Grant Scope The licenses granted in this Section 2 are the only rights granted under this License. No additional rights or licenses will be implied from the distribution or licensing of Covered Software under this License. Notwithstanding Section 2.1(b) above, no patent license is granted by a Contributor: (a) for any code that a Contributor has removed from Covered Software; or (b) for infringements caused by: (i) Your and any other third party's modifications of Covered Software, or (ii) the combination of its Contributions with other software (except as part of its Contributor Version); or (c) under Patent Claims infringed by Covered Software in the absence of its Contributions. This License does not grant any rights in the trademarks, service marks, or logos of any Contributor (except as may be necessary to comply with the notice requirements in Section 3.4). 2.4. Subsequent Licenses No Contributor makes additional grants as a result of Your choice to distribute the Covered Software under a subsequent version of this License (see Section 10.2) or under the terms of a Secondary License (if permitted under the terms of Section 3.3). 2.5. Representation Each Contributor represents that the Contributor believes its Contributions are its original creation(s) or it has sufficient rights to grant the rights to its Contributions conveyed by this License. 2.6. Fair Use

applicable copyright doctrines of fair use, fair dealing, or other equivalents. 2.7. Conditions Sections 3.1, 3.2, 3.3, and 3.4 are conditions of the licenses granted in Section 2.1. 3. Responsibilities 3.1. Distribution of Source Form All distribution of Covered Software in Source Code Form, including any Modifications that You create or to which You contribute, must be under the terms of this License. You must inform recipients that the Source Code Form of the Covered Software is governed by the terms of this License, and how they can obtain a copy of this License. You may not attempt to alter or restrict the recipients' rights in the Source Code Form. 3.2. Distribution of Executable Form If You distribute Covered Software in Executable Form then: (a) such Covered Software must also be made available in Source Code Form, as described in Section 3.1, and You must inform recipients of the Executable Form how they can obtain a copy of such Source Code Form by reasonable means in a timely manner, at a charge no more than the cost of distribution to the recipient; and (b) You may distribute such Executable Form under the terms of this License, or sublicense it under different terms, provided that the license for the Executable Form does not attempt to limit or alter the recipients' rights in the Source Code Form under this License. 3.3. Distribution of a Larger Work You may create and distribute a Larger Work under terms of Your choice, provided that You also comply with the requirements of this License for the Covered Software. If the Larger Work is a combination of Covered Software with a work governed by one or more Secondary Licenses, and the Covered Software is not Incompatible With Secondary Licenses, this License permits You to additionally distribute such Covered Software under the terms of such Secondary License(s), so that the recipient of the Larger Work may, at their option, further distribute the Covered Software under the terms of either this License or such Secondary License(s). 3.4. Notices You may not remove or alter the substance of any license notices (including copyright notices, patent notices, disclaimers of warranty, or limitations of liability) contained within the Source Code Form of the Covered Software, except that You may alter any license notices to the extent required to remedy known factual inaccuracies. 3.5. Application of Additional Terms You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, You may do so only on Your own behalf, and not on behalf of any Contributor. You must make it absolutely clear that any such warranty, support, indemnity, or liability obligation is offered by You alone, and You hereby agree to indemnify every Contributor for any liability incurred by such Contributor as a result of warranty, support, indemnity or liability terms You offer. You may include additional disclaimers of warranty and limitations of liability specific to any jurisdiction. 4. Inability to Comply Due to Statute or Regulation If it is impossible for You to comply with any of the terms of this License with respect to some or all of the Covered Software due to statute, judicial order, or regulation then You must: (a) comply with the terms of this License to the maximum extent possible; and (b) describe the limitations and the code they affect. Such description must be placed in a text file included with all distributions of the Covered Software under this License. Except to the extent prohibited by statute or regulation, such description must be sufficiently detailed for a recipient of ordinary skill to be able to understand it. 5. Termination 5.1. The rights granted under this License will terminate automatically if You fail to comply with any of its terms. However, if You become

compliant, then the rights granted under this License from a particular Contributor are reinstated (a) provisionally, unless and until such

Contributor explicitly and finally terminates Your grants, and (b) on an ongoing basis, if such Contributor fails to notify You of the non-compliance by some reasonable means prior to 60 days after You have come back into compliance. Moreover, Your grants from a particular Contributor are reinstated on an ongoing basis if such Contributor notifies You of the non-compliance by some reasonable means, this is the first time You have received notice of non-compliance with this License from such Contributor, and You become compliant prior to 30 days after Your receipt of the notice. 5.2. If You initiate litigation against any entity by asserting a patent infringement claim (excluding declaratory judgment actions, counter-claims, and cross-claims) alleging that a Contributor Version directly or indirectly infringes any patent, then the rights granted to You by any and all Contributors for the Covered Software under Section 2.1 of this License shall terminate. 5.3. In the event of termination under Sections 5.1 or 5.2 above, all end user license agreements (excluding distributors and resellers) which have been validly granted by You or Your distributors under this License prior to termination shall survive termination. 6. Disclaimer of Warranty * -----* * Covered Software is provided under this License on an "as is" basis, without warranty of any kind, either expressed, implied, or statutory, including, without limitation, warranties that the * Covered Software is free of defects, merchantable, fit for a * particular purpose or non-infringing. The entire risk as to the quality and performance of the Covered Software is with You. * Should any Covered Software prove defective in any respect, You * (not any Contributor) assume the cost of any necessary servicing, * repair, or correction. This disclaimer of warranty constitutes an * essential part of this License. No use of any Covered Software is * authorized under this License except under this disclaimer. * * 7. Limitation of Liability -----* * Under no circumstances and under no legal theory, whether tort (including negligence), contract, or otherwise, shall any Contributor, or anyone who distributes Covered Software as * * permitted above, be liable to You for any direct, indirect, * * special, incidental, or consequential damages of any character including, without limitation, damages for lost profits, loss of * goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses, even if such party * * shall have been informed of the possibility of such damages. This * * * * limitation of liability shall not apply to liability for death or personal injury resulting from such party's negligence to the * extent applicable law prohibits such limitation. Some jurisdictions do not allow the exclusion or limitation of * * incidental or consequential damages, so this exclusion and limitation may not apply to You. * 8. Litigation Any litigation relating to this License may be brought only in the courts of a jurisdiction where the defendant maintains its principal place of business and such litigation shall be governed by laws of that jurisdiction, without reference to its conflict-of-law provisions. Nothing in this Section shall prevent a party's ability to bring cross-claims or counter-claims. 9. Miscellaneous This License represents the complete agreement concerning the subject matter hereof. If any provision of this License is held to be

unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not be used to construe this License against a Contributor. 10. Versions of the License 10.1. New Versions Mozilla Foundation is the license steward. Except as provided in Section 10.3, no one other than the license steward has the right to modify or publish new versions of this License. Each version will be given a distinguishing version number. 10.2. Effect of New Versions You may distribute the Covered Software under the terms of the version of the License under which You originally received the Covered Software, or under the terms of any subsequent version published by the license steward. 10.3. Modified Versions If you create software not governed by this License, and you want to create a new license for such software, you may create and use a modified version of this License if you rename the license and remove any references to the name of the license steward (except to note that such modified license differs from this License). 10.4. Distributing Source Code Form that is Incompatible With Secondary Licenses If You choose to distribute Source Code Form that is Incompatible With Secondary Licenses under the terms of this version of the License, the notice described in Exhibit B of this License must be attached. Exhibit A - Source Code Form License Notice This Source Code Form is subject to the terms of the Mozilla Public License, v. 2.0. If a copy of the MPL was not distributed with this file, You can obtain one at http://mozilla.org/MPL/2.0/. If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice. You may add additional accurate notices of copyright ownership. Exhibit B - "Incompatible With Secondary Licenses" Notice _____ This Source Code Form is "Incompatible With Secondary Licenses", as defined by the Mozilla Public License, v. 2.0.

Treeview

Copyright (C) 2006 Conor O'Mahony (gubusoft@gubusoft.com) All rights reserved. This application includes the TreeView script. You are not authorized to download and/or use the TreeView source code from this application for your own purposes. For your own FREE copy of the TreeView script, please visit the <u>http://www.treeview.net</u> Web site. THIS SOFTWARE IS PROVIDED "AS IS" AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, WITHOUT LIMITATION, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. If Customer is using the free version of SOFTWARE, Customer must ensure that the "JavaScript Tree Menu" link at the top of the TreeView is visible and readable in their Web page or application. Customer may not harm the GUBUSOFT intellectual property rights using any media or via any electronic or other method now known or later discovered. Customer may not use the GubuSoft name, the name of the TreeView author, or the names of any source code contributors to endorse or promote products derived from this SOFTWARE without specific prior written permission. Customer may not utilize the SOFTWARE in a manner which is disparaging to GUBUSOFT.

Win-iconv

win_iconv is a iconv implementation using Win32 API to convert. win_iconv is placed in the public domain. Yukihiro Nakadaira <yukihiro.nakadaira@gmail.com>

Zlib

(C) 1995-2013 Jean-loup Gailly and Mark Adler This software is provided 'as-is', without any express or implied warranty. In no event will the authors be held liable for any damages arising from the use of this software. Permission is granted to anyone to use this software for any purpose, including commercial applications, and to alter it and redistribute it freely, subject to the following restrictions:

- 1. The origin of this software must not be misrepresented; you must not claim that you wrote the original software. If you use this software in a product, an acknowledgment in the product documentation would be appreciated but is not required.
- 2. Altered source versions must be plainly marked as such, and must not be misrepresented as being the original software.
- 3. This notice may not be removed or altered from any source distribution. Jean-loup Gailly Mark Adler


jloup@gzip.org

madler@alumni.caltech.edu

Fonts on Linux

Prior to Version 17 the Oasys Ltd. LS-DYNA environment software used "legacy" X11 fixed fonts on Linux, from version 17 onwards the software uses Freetype fonts, which give improved appearance and a wider range of typefaces.

The recommended proportional font for menu panels is "DejaVu Sans Condensed" which is widely available on Linux, but you can change this using **Options**, **Menu attributes** where a different font can be selected from those available on your system. For example on the author's CentOS 7 system the choice of fonts is:



The range of fonts available

The range of fonts you see on your system will depend on the version of Linux you are using and what fonts you have installed; the image above was captured from a CentOS 7 machine.

The Oasys software interrogates the font server to extract all available fonts, then sorts them for presentation purposes by spacing (proportional or monospaced) and weight (normal, light, bold). The "recommended" fonts, as shown in the right hand popup menu above, are simply those which have been found by trial and error to give the best appearance. However this is a very subjective matter, and you may prefer something different: choose something that you like then use **Save Settings** to save it. If you change your mind later you can always come back to this panel to select something else.

Helvetica is provided as an option for backwards compatibility with the older user interface; it is not natively available on Linux so a different font is substituted, which tends not to look very good in Freetype.

Plain versus Anti-aliased fonts

On some monitors, especially relatively low resolution ones, the anti-aliasing of fonts can result in quite fuzzy text. The quality of this will depend on the version of Freetype installed, and more recent Linuxes will tend to look better since they are more likely to use sub-pixel sampling.

Some users may prefer the cruder but sharper appearance of the original "core X11" legacy fonts, and these can be used by changing to **Plain** so long as you actually have these fonts loaded on your machine. On the CentOS 7 machine being used to create this manual page the equivalent "plain" font image of the above is:

- Menu Attribut	tes 🧧 🗧		
Dismiss Save_Settings HELI	P New Panel		
Display Fac 1.00 0.5	(larger) 2.0 (smaller)		
Font size: Tiny Small Default Large Huge) Plain) Anti-alias Scale width Scale height Cached fonts		
Menus font-adobe-helvetica-mediu	m-r-normal	Choose font category	
Listing font *courier-medium-r-norma	al	Proportional recommended	Select font to use
CJK font: -misc-fixed-medium-r-no	rmal-*-12-*-*-*-*-*-*	 Prop normal options 	-adobe-helvetica-medium-r-normal
Brightness 0.0 1.0 1.00 Col Saturation 0.0 1.0 1.00 Gradation 0.0 1.0 0.00 Left handed: None Mouse Shift & Ctrl All	lours etc Menu dragging Wireframe Opaque Decoration & Styling Not used Time Limit: 500 Always used	Prop heavy options Monospaced recommended Mono normal options	-adobe-times-medium-r-normal

If you try this on your machine and it doesn't work then it means that you need to load the legacy font package(s), see below.

Loading legacy Core X11 fonts

You will need root privileges to install these, so unless you are familiar with working as root and using commands such as "rpm", "yum" or "yast" please seek help from your IT department, or alternatively contact Oasys Ltd for help.

The best fonts to install are the 75 dots per inch (dpi) ones, which can be obtained online for a range of common Linux operating systems from https://pkgs.org/download/xorg-x11-fonts-75dpi

If that fails you may already have the relevant packages in your installation files, you should look for (in order)

RedHat/CentOS

```
xorg-x11-fonts-75dpi
xorg-x11-fonts-100dpi
xorg-x11-fonts-ISO8859-1-100dpi
xorg-x11-fonts-ISO8859-1-75dpi
xorg-x11-fonts-Type1
xorg-x11-fonts-misc
```

You don't have to install all of these.

The 75dpi and 100dpi font packages are the same typefaces at different resolutions. You should choose the one which gives the best looking results on your display, but in the author's experience the 75dpi one looks fine but the 100dpi one looks as if a spider was let loose with a leaky pen!

SUSE

```
xorg-x11-fonts-core
xorg-x11-fonts
```


Themes for the Graphical User Interface

In addition to our Classic GUI theme, beginning in Oasys Suite 17.0, users can select either a Light or Dark theme. Both of these provide a more modern look and feel for the software, as well as offering different colour and contrast options for comfort and accessibility.

	s Mes	h tools 🔻 💽	TH Post	<u> </u>	ols Mes	h tools 🛛 🔽 🖸	TH Post	Tool	ls Mes	h tools 🔻 <u>D</u> a	TH Post
Assign ms	Composite	Load Path	Remove	Assign ms	Composite	Load Path	Remove	Assign ms	Composite	Load Path	Remove
Attached	Connection	Macro	Rigidify	Attached	Connection	Macro	Rigidify	Attached	Connection	Macro	Rigidify
Blanking	Cut sect	Mass Prop	Safety 🔹 🔻	Blanking	Cut sect	Mass Prop	Safety 🔹 🔻	Blanking	Cut sect	Mass Prop	Safety 🔹
вом	Explode	Measure	Script	BOM	Explode	Measure	Script	BOM	Explode	Measure	Script
Check	Find	Mechanism	Text Edit	Check	Find	Mechanism	Text Edit	Check	Find	Mechanism	Text Edit
Clipboard	Groups	Node Import	Units	Clipboard	Groups	Node Import	Units	Clipboard	Groups	Node Import	Units
Coat	ICFD Setup	Orient	Vol Calc	Coat	ICFD Setup	Orient	Vol Calc	Coat	ICFD Setup	Orient	Vol Calc
Compare	Include	Other 🔻	Xrefs	Compare	Include	Other 🗸 🗸	Xrefs	Compare	Include	Other V	Xrefs
- Vol	umes I & II	Volu	me III 🛛 🔻		olumes I & II	Volu	me III 🛛 🔻	Vol	umes I & II	Volu	me III 🔻
AIRBAG V	DATABS 🔻	INITIAL 🔻	RAIL 🔻	AIRBAG	DATABS V	INITIAL 🔻	RAIL 🔻	AIRBAG V	DATABS V	INITIAL 🔻	RAIL
ALE 🔻	DEFINE 🔻	INTEGRN V	RIGIDWALL	ALE	DEFINE V	INTEGRN V	RIGIDWALL▼	ALE V	DEFINE V	INTEGRN V	RIGIDWALL
BOUND V	DEF_2_RG	INTRFCE 🔻	SECTION	BOUND	DEF_2_RG	INTRFCE V	SECTION	BOUND V	DEF_2_RG	INTRFCE V	SECTION
CASE	ELEMENT V	LOAD 🔻	SENSOR V	CASE	ELEMENT V	LOAD 🔻	SENSOR V	CASE	ELEMENT V	LOAD V	SENSOR V
COMMENT	EOS	MAT V	SET 🔻	COMMENT	EOS	MAT 🔻	SET 🔻	COMMENT	EOS	MAT V	SET V
CONSTR V	FATIGUE 🔻	NODE 🔻	TERMIN	CONSTR	FATIGUE V	NODE 🔻	TERMIN	CONSTR V	FATIGUE V	NODE V	TERMIN
CONTACT V	FREQ 🔻	PARAM		CONTACT	FREQ V	PARAM		CONTACT V	FREQ 🔻	PARAM	
CONTROL V	HOURGL	PART 🔻		CONTROL	HOURGL	PART 🔻		CONTROL V	HOURGL	PART V	
DAMPING V	INCLUDE V	PERTURB V		DAMPING	INCLUDE V	PERTURB V		DAMPING V	INCLUDE V	PERTURB V	
Model	Part tree			Model	Part tree			Model	Part tree		
Q		ayer: NOT SET	·			ayer: NOT SET				iyer: NOT SET	
		·	?			·				-	?
	Current la	·			Current k	·			Current la	-	? Utilities
Q	Current la Model fun	ctions	?	۹	Current k Model fun	ctions	?	٩	Current la Model fun	ctions	
Q Create	Current la Model fun Copy	ctions Renumber	? Utilities	Q Create	Current k Model fun Copy	ctions Renumber	? Utilities	Q Create	Current la Model fun Copy	ctions Renumber	Utilities
Q Create Read	Current la Model fun Copy Merge Build Inc declash	ctions Renumber Delete Contents	? Utilities List	Q Create Read	Current & Model fun Copy Merge Build Inc declash	ctions Renumber Delete	? Utilities List	Q Create Read	Current le Model fun Copy Merge Build Inc declash	ctions Renumber Delete	Utilities List

Setting the theme

The default software theme in Oasys Suite 17 is Light. This can be changed from the Oasys SHELL by choosing from the **Themes** pop-up. This automatically saves the selected theme as your preference for all programs.



The theme can also be set for individual programs from the **Display** menu in PRIMER, D3PLOT and T/HIS or the **Preferences** menu (**File**->**Preferences**...) in REPORTER. This choice is not automatically retained after exiting the program, so you must select a theme, then select **Save pref** to ensure a theme is used for all future sessions.

Display	Images	Vie	wing	Options
Entities				
Lighting Colour				
Options				
Sketch Op	tions			
Tuning				
GUI theme	: Light	►	Light	
			Dark	
			Classi Legac	
			Save	
			Explai	
_				
RE Prefe	rences			
Editing	g	<u>G</u> rid	D	ate and
GUI	Theme			
O Le	egacy			
🖲 Li	ght*			
OD	ark			